

Product Datasheet

ABCA7 Antibody (7A1-144) - BSA Free NB400-166SS

Unit Size: 0.025 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB400-166

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB400-166



NB400-166SS

ABCA7 Antibody (7A1-144) - BSA Free

Product Information	
Unit Size	0.025 ml
Concentration	This product is unpurified. The exact concentration of antibody is not quantifiable.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	7A1-144
Preservative	0.1% Sodium Azide
Isotype	IgG2a Kappa
Purity	Unpurified
Buffer	Ascites
Target Molecular Weight	240 kDa


Product Description	
Description	Novus Biologicals Rat ABCA7 Antibody (7A1-144) - BSA Free (NB400-163) is a monoclonal antibody validated for use in IHC, WB and Flow. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rat
Gene ID	10347
Gene Symbol	ABCA7
Species	Mouse
Immunogen	Mouse ABCA7 stably-transfected HeLa cells. [UniProt# Q91V24]

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Immunohistochemistry
Recommended Dilutions	Western Blot 1:2000-1:8000, Flow Cytometry 1:10000-1:60000, Immunohistochemistry, Immunohistochemistry-Paraffin 1:100-1:250
Application Notes	This ABCA7 antibody is useful for Flow Cytometry and Western Blot, where a band is observed at ~240 kDa. This ABCA7 antibody is not reactive in ELISA. The observed molecular weight of the protein may vary from the listed predicted molecular weight due to post translational modifications, post translation cleavages, relative charges, and other experimental factors.




Images

Western Blot: ABCA7 Antibody (7A1-144) - Unpurified [NB400-166] - Detection of ABCA7 using NB 400-166 at various dilutions in ABCA7 transfected HeLa cell lysates.



Flow Cytometry: ABCA7 Antibody (7A1-144) - Unpurified [NB400-166] - Analysis of 6C (red) (negative control HeLa cells) and A7(blue) (ABCA7 expressing HeLa cells) using NB 400-166 at a dilution of 1:3,000.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-
techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB400-166

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

