

# Product Datasheet

## Human Non-Hodgkins Lymphoma Nuclear Tissue Lysate (Adult Nuclear Tumor) NB820-89090

Unit Size: 0.1 mg

Store at -80C. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NB820-89090](http://www.novusbio.com/NB820-89090)

Updated 2/5/2017 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NB820-89090](http://www.novusbio.com/reviews/destination/NB820-89090)



**NB820-89090**

Human Non-Hodgkins Lymphoma Nuclear Tissue Lysate (Adult Nuclear Tumor)

| <b>Product Information</b>         |  |
|------------------------------------|--|
| <b>Unit Size</b>                   | 0.1 mg   |
| <b>Concentration</b>               | 5.0 mg/ml  |
| <b>Storage</b>                     | Store at -80C. Avoid freeze-thaw cycles.   |
| <b>Buffer</b>                      | HEPES, pH 7.9, MgCl <sub>2</sub> , KCL, EDTA, Sucrose, Glycerol, Sodium deoxycholate, NP-40 and a cocktail of pro                        |
| <b>Product Description</b>         |  |
| <b>Species</b>                     | Human  |
| <b>Reactivity Notes</b>            | Human  |
| <b>Specificity/Sensitivity</b>     | Lymphoma, Non-Hodgkin's Disease  |
| <b>Lysate Type</b>                 | Tissue   |
| <b>Lysate Tissue</b>               | Blood Lymph  |
| <b>Lysate Tissue Condition</b>     | Tumor  |
| <b>Lysate Life Stage</b>           | Adult  |
| <b>Lysate Protein State</b>        | Native   |
| <b>Lysate Subcellular Fraction</b> | Nuclear  |
| <b>Product Application Details</b> |  |
| <b>Applications</b>                | Western Blot, Immunoprecipitation  |
| <b>Recommended Dilutions</b>       | Western Blot, Immunoprecipitation  |
| <b>Application Notes</b>           | Western Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis, Protein-protein interaction, Tissue specific expression |



### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA

Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
novus@novusbio.com

### **Novus Biologicals Canada**

461 North Service Road West, Unit B37  
Oakville, ON L6M 2V5  
Canada

Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada@novusbio.com

### **Novus Biologicals Europe**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: technical@novusbio.com  
Orders: orders@novusbio.com  
General: novus@novusbio.com

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Lysates are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NB820-89090](http://www.novusbio.com/reviews/submit/NB820-89090)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

