

Product Datasheet

10X EDTA buffer pH 8.0 NB900-66730

Unit Size: 500 ml

Store at room temperature.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB900-66730

Updated 8/18/2016 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB900-66730



NB900-66730

10X EDTA buffer pH 8.0

Product Information	
Unit Size	500 ml
Concentration	Please see the protocols for proper use of this product. If no protocol is available, contact technical services for assistance.
Storage	Store at room temperature.
Preservative	No Preservative
Buffer	Dilute one part buffer with nine parts de-ionized or distilled water.
Product Description	
Specificity/Sensitivity	10x EDTA Buffer pH 8.0 for Heat Induced Epitote Recovery
Product Application Details	
Applications	Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Immunohistochemistry 1:10-1:500, Immunohistochemistry-Paraffin
Application Notes	<p>To recover antigens masked by over fixation in cross linking fixatives such as formalin.</p> <ol style="list-style-type: none"> 1. Deparaffinize and bring tissue section to buffer. 2. Fill the plastic coplin jar with the antigen unmasker solution. 3. Place the jar in the in steamer or water bath. 4. Preheat steamer or water bath containing coplin jars to 95-100 C. 5. Place the deparaffinized slides (1 to 3 slides/jar) in the coplin jar and incubate for 20-40 minutes (optimal incubation time should be determined by the end user). 6. Remove the coplin jars from the water bath and allow the slides to cool down for 20 minutes to reach to room temperature. 7. Wash the slides in de-ionized water and then with wash buffer and proceed for immunostaining.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA

Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
novus@novusbio.com

Novus Biologicals Canada

461 North Service Road West, Unit B37
Oakville, ON L6M 2V5
Canada

Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada@novusbio.com

Novus Biologicals Europe

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: technical@novusbio.com
Orders: orders@novusbio.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Support products are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB900-66730

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

