

# Product Datasheet

## High Efficiency Transfection reagent Transfection Reagent Kit NBP1-30438-6mL

Unit Size: 6 ml

Store at 4C. Do not freeze.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

**Reviews: 1**

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP1-30438](http://www.novusbio.com/NBP1-30438)

Updated 2/5/2017 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP1-30438](http://www.novusbio.com/reviews/destination/NBP1-30438)



**NBP1-30438-6mL**

## High Efficiency Transfection reagent Transfection Reagent Kit

Product Information	
<b>Unit Size</b>	6 ml
<b>Concentration</b>	Concentration is not relevant for this product. Please see the protocols for proper use of this product.
<b>Storage</b>	Store at 4C. Do not freeze.
<b>Buffer</b>	Prediluted antibody

Product Description	
<b>Species</b>	Non-species specific
<b>Notes</b>	<p>Major Features:</p> <p>Exceptional efficiency of transfection for a broad range of adherent cell types. Especially good for embryonic stem (ES) cells and difficult-to-transfect primary cultures.</p> <p>Equally efficient for suspension cultures of HEK293, and sf9, sf21 and High 5 insect cells.</p> <p>Higher efficiency and lower toxicity than all commercially available transfection reagents currently on the market.</p> <p>Transfection efficiency not affected by serum. Works equally well in serum-containing (up to 20% FBS) or serum-free media.</p> <p>High levels of recombinant protein production at 24-72 hours after transfection.</p> <p>Works very well for both single DNA transfection and multi-DNA co-transfection.</p> <p>This product has a prediluted size available. If a 6mL or 7mL pre-diluted size is purchased this product can be used Neat (without further dilution). Use recommended dilution for the concentrated vials only.</p>

Product Application Details	
<b>Application Notes</b>	Use the following procedure to transfect DNA into eukaryotic cells in a 35 mm dish or a 6-well plate.





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Kits are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP1-30438](http://www.novusbio.com/reviews/submit/NBP1-30438)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

