Product Datasheet

Penicillinase Antibody NBP1-77772

Unit Size: 2 ml

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-77772

Updated 6/5/2019 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-77772



NBP1-77772

Penicillinase Antibody

30 minutes at room temperature. A working dilution of 1:6,000 - 1:26,000 of the	Penicillinase Antibody	
Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at 4C. Do not freeze. Clonality Polyclonal Preservative 0.01% Sodium Azide Purity Delipidation and Defibrination Buffer 0.01 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Product Description Host Rabbit Species Bacteria Reactivity Notes Reactive in Enterobacter cloacae Specificity/Sensitivity Assay by immunoelectrophoresis resulted in a single precipitin arc against purified and partially purified Penicillinase [Enterobacter cloacae]. Immunogen Penicillinase [Enterobacter cloacae] Product Application Details Applications Western Blot, ELISA, Immunoprecipitation Recommended Dilutions Western Blot 1:500 - 1:5000, ELISA 1:5000 - 1:20000, Immunoprecipitation 1:100 This product has been assayed against 1.0 ug of Penicillinase [Enterobacter cloacae] in a standard sandwich ELISA using Peroxidase conjugated Affinity Purified anti-Rabbit IgG [H&L] and ABTS ELISA PEROXIDASE SUBSTRATE fc 30 minutes at room temperature. A working dilution of 1:6,000 - 1:26,000 of the	Product Information	
Storage Store at 4C. Do not freeze. Clonality Polyclonal Preservative 0.01% Sodium Azide Purity Delipidation and Defibrination Buffer 0.01 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Product Description Host Rabbit Ractivity Notes Reactive in Enterobacter cloacae Specificity/Sensitivity Assay by immunoelectrophoresis resulted in a single precipitin arc against purified and partially purified Penicillinase [Enterobacter cloacae]. Immunogen Penicillinase [Enterobacter cloacae] Product Application Details Applications Western Blot 1:500 - 1:5000, ELISA 1:5000 - 1:20000, Immunoprecipitation 1:100 Application Notes This product has been assayed against 1.0 ug of Penicillinase [Enterobacter cloacae] in a standard sandwich ELISA using Peroxidase conjugated Affinity Purified anti-Rabbit IgG [H&L] and ABTS ELISA PEROXIDASE SUBSTRATE for 30 minutes at room temperature. A working dilution of 1:6,000 - 1:26,000 of the	Unit Size	2 ml
Clonality Polyclonal Preservative 0.01% Sodium Azide Purity Delipidation and Defibrination Buffer 0.01 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Product Description Host Rabbit Species Bacteria Reactivity Notes Reactive in Enterobacter cloacae Specificity/Sensitivity Assay by immunoelectrophoresis resulted in a single precipitin arc against purified and partially purified Penicillinase [Enterobacter cloacae]. Immunogen Penicillinase [Enterobacter cloacae] Product Application Details Applications Western Blot, ELISA, Immunoprecipitation Recommended Dilutions Western Blot 1:500 - 1:5000, ELISA 1:5000 - 1:20000, Immunoprecipitation 1:100 Application Notes This product has been assayed against 1.0 ug of Penicillinase [Enterobacter cloacae] in a standard sandwich ELISA using Peroxidase conjugated Affinity Purified anti-Rabbit IgG [H&L] and ABTS ELISA PEROXIDASE SUBSTRATE for 30 minutes at room temperature. A working dilution of 1:6,000 - 1:26,000 of the	Concentration	·
Preservative 0.01% Sodium Azide Purity Delipidation and Defibrination Buffer 0.01 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Product Description Host Rabbit Species Bacteria Reactivity Notes Reactive in Enterobacter cloacae Specificity/Sensitivity Assay by immunoelectrophoresis resulted in a single precipitin arc against purified and partially purified Penicillinase [Enterobacter cloacae]. Immunogen Penicillinase [Enterobacter cloacae] Product Application Details Applications Western Blot, ELISA, Immunoprecipitation Recommended Dilutions Western Blot 1:500 - 1:5000, ELISA 1:5000 - 1:20000, Immunoprecipitation 1:100 Application Notes This product has been assayed against 1.0 ug of Penicillinase [Enterobacter cloacae] in a standard sandwich ELISA using Peroxidase conjugated Affinity Purified anti-Rabbit IgG [H&L] and ABT'S ELISA PEROXIDASE SUBSTRATE for 30 minutes at room temperature. A working dilution of 1:6,000 - 1:26,000 of the	Storage	Store at 4C. Do not freeze.
Purity Delipidation and Defibrination Buffer 0.01 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Product Description Host Rabbit Species Bacteria Reactivity Notes Reactive in Enterobacter cloacae Specificity/Sensitivity Assay by immunoelectrophoresis resulted in a single precipitin arc against purified and partially purified Penicillinase [Enterobacter cloacae]. Immunogen Penicillinase [Enterobacter cloacae] Product Application Details Applications Western Blot, ELISA, Immunoprecipitation Recommended Dilutions Western Blot 1:500 - 1:5000, ELISA 1:5000 - 1:20000, Immunoprecipitation 1:100 Application Notes This product has been assayed against 1.0 ug of Penicillinase [Enterobacter cloacae] in a standard sandwich ELISA using Peroxidase conjugated Affinity Purified anti-Rabbit IgG [H&L] and ABTS ELISA PEROXIDASE SUBSTRATE fc 30 minutes at room temperature. A working dilution of 1:6,000 - 1:26,000 of the	Clonality	Polyclonal
Buffer 0.01 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Product Description Host Rabbit Species Bacteria Reactivity Notes Reactive in Enterobacter cloacae Specificity/Sensitivity Assay by immunoelectrophoresis resulted in a single precipitin arc against purified and partially purified Penicillinase [Enterobacter cloacae]. Immunogen Penicillinase [Enterobacter cloacae] Product Application Details Applications Western Blot, ELISA, Immunoprecipitation Recommended Dilutions Western Blot 1:500 - 1:5000, ELISA 1:5000 - 1:20000, Immunoprecipitation 1:100 Application Notes This product has been assayed against 1.0 ug of Penicillinase [Enterobacter cloacae] in a standard sandwich ELISA using Peroxidase conjugated Affinity Purified anti-Rabbit IgG [H&L] and ABTS ELISA PEROXIDASE SUBSTRATE for 30 minutes at room temperature. A working dilution of 1:6,000 - 1:26,000 of the	Preservative	0.01% Sodium Azide
Product Description Host Rabbit Species Bacteria Reactivity Notes Reactive in Enterobacter cloacae Specificity/Sensitivity Assay by immunoelectrophoresis resulted in a single precipitin arc against purified and partially purified Penicillinase [Enterobacter cloacae]. Immunogen Penicillinase [Enterobacter cloacae] Product Application Details Applications Western Blot, ELISA, Immunoprecipitation Recommended Dilutions Western Blot 1:500 - 1:5000, ELISA 1:5000 - 1:20000, Immunoprecipitation 1:100 Application Notes This product has been assayed against 1.0 ug of Penicillinase [Enterobacter cloacae] in a standard sandwich ELISA using Peroxidase conjugated Affinity Purified anti-Rabbit IgG [H&L] and ABTS ELISA PEROXIDASE SUBSTRATE for 30 minutes at room temperature. A working dilution of 1:6,000 - 1:26,000 of the	Purity	Delipidation and Defibrination
Host Species Bacteria Reactivity Notes Reactive in Enterobacter cloacae Specificity/Sensitivity Assay by immunoelectrophoresis resulted in a single precipitin arc against purified and partially purified Penicillinase [Enterobacter cloacae]. Immunogen Penicillinase [Enterobacter cloacae] Product Application Details Applications Western Blot, ELISA, Immunoprecipitation Recommended Dilutions Western Blot 1:500 - 1:5000, ELISA 1:5000 - 1:20000, Immunoprecipitation 1:100 Application Notes This product has been assayed against 1.0 ug of Penicillinase [Enterobacter cloacae] in a standard sandwich ELISA using Peroxidase conjugated Affinity Purified anti-Rabbit IgG [H&L] and ABTS ELISA PEROXIDASE SUBSTRATE for 30 minutes at room temperature. A working dilution of 1:6,000 - 1:26,000 of the	Buffer	0.01 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Reactivity Notes Reactive in Enterobacter cloacae Specificity/Sensitivity Assay by immunoelectrophoresis resulted in a single precipitin arc against purified and partially purified Penicillinase [Enterobacter cloacae]. Immunogen Penicillinase [Enterobacter cloacae] Product Application Details Applications Western Blot, ELISA, Immunoprecipitation Recommended Dilutions Western Blot 1:500 - 1:5000, ELISA 1:5000 - 1:20000, Immunoprecipitation 1:100 Application Notes This product has been assayed against 1.0 ug of Penicillinase [Enterobacter cloacae] in a standard sandwich ELISA using Peroxidase conjugated Affinity Purified anti-Rabbit IgG [H&L] and ABTS ELISA PEROXIDASE SUBSTRATE for 30 minutes at room temperature. A working dilution of 1:6,000 - 1:26,000 of the	Product Description	
Reactivity Notes Reactive in Enterobacter cloacae Specificity/Sensitivity Assay by immunoelectrophoresis resulted in a single precipitin arc against purified and partially purified Penicillinase [Enterobacter cloacae]. Immunogen Penicillinase [Enterobacter cloacae] Product Application Details Applications Western Blot, ELISA, Immunoprecipitation Recommended Dilutions Western Blot 1:500 - 1:5000, ELISA 1:5000 - 1:20000, Immunoprecipitation 1:100 Application Notes This product has been assayed against 1.0 ug of Penicillinase [Enterobacter cloacae] in a standard sandwich ELISA using Peroxidase conjugated Affinity Purified anti-Rabbit IgG [H&L] and ABTS ELISA PEROXIDASE SUBSTRATE for 30 minutes at room temperature. A working dilution of 1:6,000 - 1:26,000 of the	Host	Rabbit
Specificity/Sensitivity Assay by immunoelectrophoresis resulted in a single precipitin arc against purified and partially purified Penicillinase [Enterobacter cloacae]. Immunogen Penicillinase [Enterobacter cloacae] Product Application Details Applications Western Blot, ELISA, Immunoprecipitation Recommended Dilutions Western Blot 1:500 - 1:5000, ELISA 1:5000 - 1:20000, Immunoprecipitation 1:100 Application Notes This product has been assayed against 1.0 ug of Penicillinase [Enterobacter cloacae] in a standard sandwich ELISA using Peroxidase conjugated Affinity Purified anti-Rabbit IgG [H&L] and ABTS ELISA PEROXIDASE SUBSTRATE for 30 minutes at room temperature. A working dilution of 1:6,000 - 1:26,000 of the	Species	Bacteria
purified and partially purified Penicillinase [Enterobacter cloacae]. Product Application Details Applications Western Blot, ELISA, Immunoprecipitation Western Blot 1:500 - 1:5000, ELISA 1:5000 - 1:20000, Immunoprecipitation 1:100 Application Notes This product has been assayed against 1.0 ug of Penicillinase [Enterobacter cloacae] in a standard sandwich ELISA using Peroxidase conjugated Affinity Purified anti-Rabbit IgG [H&L] and ABTS ELISA PEROXIDASE SUBSTRATE for 30 minutes at room temperature. A working dilution of 1:6,000 - 1:26,000 of the	Reactivity Notes	Reactive in Enterobacter cloacae
Product Application Details Applications Western Blot, ELISA, Immunoprecipitation Western Blot 1:500 - 1:5000, ELISA 1:5000 - 1:20000, Immunoprecipitation 1:100 Application Notes This product has been assayed against 1.0 ug of Penicillinase [Enterobacter cloacae] in a standard sandwich ELISA using Peroxidase conjugated Affinity Purified anti-Rabbit IgG [H&L] and ABTS ELISA PEROXIDASE SUBSTRATE for 30 minutes at room temperature. A working dilution of 1:6,000 - 1:26,000 of the	Specificity/Sensitivity	
Applications Western Blot, ELISA, Immunoprecipitation Western Blot 1:500 - 1:5000, ELISA 1:5000 - 1:20000, Immunoprecipitation 1:100 Application Notes This product has been assayed against 1.0 ug of Penicillinase [Enterobacter cloacae] in a standard sandwich ELISA using Peroxidase conjugated Affinity Purified anti-Rabbit IgG [H&L] and ABTS ELISA PEROXIDASE SUBSTRATE for 30 minutes at room temperature. A working dilution of 1:6,000 - 1:26,000 of the	Immunogen	Penicillinase [Enterobacter cloacae]
Recommended Dilutions Western Blot 1:500 - 1:5000, ELISA 1:5000 - 1:20000, Immunoprecipitation 1:100 Application Notes This product has been assayed against 1.0 ug of Penicillinase [Enterobacter cloacae] in a standard sandwich ELISA using Peroxidase conjugated Affinity Purified anti-Rabbit IgG [H&L] and ABTS ELISA PEROXIDASE SUBSTRATE for 30 minutes at room temperature. A working dilution of 1:6,000 - 1:26,000 of the	Product Application Details	
Application Notes This product has been assayed against 1.0 ug of Penicillinase [Enterobacter cloacae] in a standard sandwich ELISA using Peroxidase conjugated Affinity Purified anti-Rabbit IgG [H&L] and ABTS ELISA PEROXIDASE SUBSTRATE for 30 minutes at room temperature. A working dilution of 1:6,000 - 1:26,000 of the	Applications	Western Blot, ELISA, Immunoprecipitation
cloacae] in a standard sandwich ELISA using Peroxidase conjugated Affinity Purified anti-Rabbit IgG [H&L] and ABTS ELISA PEROXIDASE SUBSTRATE for 30 minutes at room temperature. A working dilution of 1:6,000 - 1:26,000 of the	Recommended Dilutions	
1	Application Notes	cloacae] in a standard sandwich ELISA using Peroxidase conjugated Affinity Purified anti-Rabbit IgG [H&L] and ABTS ELISA PEROXIDASE SUBSTRATE for





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

Bio-Techne Ltd

nb-customerservice@bio-techne.com

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-77772

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

