# **Product Datasheet**

# Lightning-Link (R) PE-Cy5 Antibody Labeling Kit 760-0030

Unit Size: 3 x 10ug Reaction

Store at -20C.

www.novusbio.com



technical@novusbio.com

**Publications: 7** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/760-0030

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/760-0030



# 760-0030

Lightning-Link (R) PE-Cy5 Antibody Labeling Kit

Lightning-Link (R) PE-Cy5 Antibody Labeling Kit	
3 x 10ug Reaction	
Concentration is not relevant for this product. Please see the protocols for proper use of this product.	
Store at -20C.	
PE/Cy5	
Lightning-Link antibody labeling kits enable the direct labeling of antibodies, proteins, peptides or other biomolecules for use in R&D applications, drug discovery and the development of diagnostic kits (See protocol for further information).  Our PE/Cy5 antibody labeling kit enables the direct conjugation of the PE/Cy5 tandem dye to any biomolecule with an available amine group. The researcher simply pipettes the antibody or other biomolecule into the vial of Lightning-Link label and incubates for 3 hours.  FeaturesBenefitsQuick and easy to useSave time, no special knowledge requiredNo separation steps100% recovery - no antibody/protein lossCan be used in a wide range of applicationsFlexibleFreeze driedShips at ambient temperature, long shelf-lifeFully scalable (10 ug to 1 g or more)Easy transfer from R&D to manufacturingStringently QC testedConsistent high quality, excellent batch-to-batch reproducibilityLarge number of labels available Experimental flexibilityReliable: nearly 300 referencesSuccessfully used in many fields of research  PE/Cy5 is a tandem conjugate. The PE has three maximal absorbance values of 498, 544 and 566nm with the optimal depending on the application. The PE functions as an energy donor for the Cy5 and transfers its energy via energy resonance transfer. The Cy5 emits the energy received from the PE in the form of long wavelength light at 672nm.  Learn more about Lightning-Link™ Conjugation Kits by reading FAQs  For more information please check out these useful links!  Antibody Labeling Guide  Antibody Conjugation Illustrated Assay	
1 or 3 glass vial(s) of Lightning-Link mix, 1 vial of LL-Modifier reagent, 1 vial of LL-Quencher reagent	
This product is manufactured by Abcam and distributed by Novus Biologicals.  This product is for research use only and is not approved for use in humans or in clinical diagnosis. This product is guaranteed for 1 year from date of receipt and this statement overrides any mentioned guarantee period on the limitations section of this products datasheet. Please contact technical@novusbio.com with questions.	
Flow Cytometry	



**Recommended Dilutions** 

Flow Cytometry

#### **Application Notes**

By circumventing the desalting or dialysis steps that commonly interrupt traditional antibody conjugation procedures, LightningLink technology can be used to label both small (e.g. 10 ug) and large quantities of primary antibodies with ease. Batch-to-batch variation upon scale up is minimal as the process is so simple, and recoveries are always 100%. This kit is supplied with 3 vials, each suitable for labeling up to 10 ug of antibody.

## **Publications**

Janakiram NB, Mohammed A, Bryant T et al. Potentiating NK cell activity by combination of Rosuvastatin and Difluoromethylornithine for effective chemopreventive efficacy against Colon Cancer. Sci Rep. 2016-11-14 [PMID: 27841323] (Rat)

Taichman RS, Patel LR, Bedenis R et al. GAS6 Receptor Status Is Associated with Dormancy and Bone Metastatic Tumor Formation. PLoS One 2013-01-01 [PMID: 23637920] (FLOW)

Kakhlon O, Glickstein H, Feinstein N et al. Polyglucosan neurotoxicity caused by glycogen branching enzyme deficiency can be reversed by inhibition of glycogen synthase. J Neurochem 2013-04-18 [PMID: 23607684]

Zhao W, Wang L, Han H et al. 1B50-1, a mAb Raised against Recurrent Tumor Cells, Targets Liver Tumor-Initiating Cells by Binding to the Calcium Channel alpha 21 Subunit. Cancer Cell 2013-01-01 [PMID: 23597567] (FLOW)

Ott S, Niessner R, Seidel M. Preparation of epoxy-based macroporous monolithic columns for the fast and efficient immunofiltration of Staphylococcus aureus. Journal of Separation Science 2011-01-01 [PMID: 21735547] (FLOW)

Kim N, Kukkonen S, Gupta S, Aldovini A. Association of Tat with Promoters of PTEN and PP2A Subunits Is Key to Transcriptional Activation of Apoptotic Pathways in HIV-Infected CD4+ T Cells. PLoS Pathog. 2010-01-01 [PMID: 20862322] (FLOW)

Olling A, Goy S, Hoffmann F et al. The Repetitive Oligopeptide Sequences Modulate Cytopathic Potency but Are Not Crucial for Cellular Uptake of Clostridium difficile Toxin A. PLoS One 2011-01-01 [PMID: 21445253] (FLOW)





# Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

# **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

## **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

# **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Kits are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/760-0030

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

