

# Product Datasheet

## Lightning-Link (R) APC-Cy7 Antibody Labeling Kit 765-0030

Unit Size: 30 ug

Store at -20C.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

### Publications: 6

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/765-0030](http://www.novusbio.com/765-0030)

Updated 10/23/2024 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/765-0030](http://www.novusbio.com/reviews/destination/765-0030)



**765-0030****Lightning-Link (R) APC-Cy7 Antibody Labeling Kit**

<b>Product Information</b>	
<b>Unit Size</b>	30 ug
<b>Concentration</b>	Concentration is not relevant for this product. Please see the protocols for proper use of this product.
<b>Storage</b>	Store at -20C.
<b>Conjugate</b>	Allophycocyanin/Cy7
<b>Product Description</b>	
<b>Description</b>	<p>Lightning-Link antibody labeling kits enable the direct labeling of antibodies, proteins, peptides or other biomolecules for use in R&amp;D applications, drug discovery and the development of diagnostic kits (See protocol for further information).</p> <p>The easy-to-use, one step procedure allows researchers to covalently label biomolecules with only 30 seconds hands on time. The researcher simply pipettes the biomolecule into a vial of lyophilized mixture containing the label of interest and incubates.</p> <p><b>FeaturesBenefits</b>Quick and easy to useSave time, no special knowledge requiredNo separation steps100% recovery - no antibody/protein lossCan be used in a wide range of applicationsFlexibleFreeze driedShips at ambient temperature, long shelf-lifeFully scalable (10 ug to 1 g or more)Easy transfer from R&amp;D to manufacturingStringently QC testedConsistent high quality, excellent batch-to-batch reproducibilityLarge number of labels available Experimental flexibilityReliable: nearly 300 referencesSuccessfully used in many fields of research</p> <p>APC/Cy7 is a tandem conjugate. The APC is excited at 652nm and functions as an energy donor for the Cy7. Energy is transferred from the APC to the Cy7 via <b>FRET</b> (Fluorescence Resonance Energy Transfer). The Cy7 emits the energy received from the APC in the form of long wavelength light at 790nm</p> <p>Learn more about Lightning-Link™ Conjugation Kits by reading <a href="#">FAQs</a></p> <p>For more information please check out these useful links!  <a href="#">Antibody Labeling Guide</a>  <a href="#">Antibody Conjugation Illustrated Assay</a></p>
<b>Kit Components</b>	1 or 3 glass vial(s) of Lightning-Link mix, 1 vial of LL-Modifier reagent, 1 vial of LL-Quencher reagent
<b>Notes</b>	<p>This product is manufactured by Abcam and distributed by Novus Biologicals.</p> <p>This product is for research use only and is not approved for use in humans or in clinical diagnosis. This product is guaranteed for 1 year from date of receipt and this statement overrides any mentioned guarantee period on the limitations section of this products datasheet. Please contact <a href="mailto:technical@novusbio.com">technical@novusbio.com</a> with questions.</p>
<b>Product Application Details</b>	
<b>Applications</b>	Flow Cytometry
<b>Recommended Dilutions</b>	Flow Cytometry




**Application Notes**

Antibodies greater than 1mg/ml should be diluted to 1mg/ml using either milli-Q water or PBS. Antibodies less than 1mg/ml can still be used to generate good conjugates provided the maximum conjugation. Adding less than the recommended maximum amount of antibody may result in unbound label post conjugation. This kit is supplied with 3 vials, each suitable for labeling up to 15 ug of antibody.

**Images**

Lightning-Link APC-Cy7 Antibody Labeling Kit [765-0030] - Mouse anti-human CD8 was conjugated with APC-Cy7 using an Expedeon Lightning-Link kit. The conjugated antibody was then used to stain human peripheral blood lymphocytes, followed by analysis with flow cytometry. (Blue line - negative control; red line - positive staining).

**Publications**

Okagawa T, Konnai S, Nishimori A et al. Bovine immunoinhibitory receptors contribute to the suppression of Mycobacterium avium subsp.paratuberculosis-specific T-cell responses Infect Immun. 2015-10-19 [PMID: 26483406] (FLOW)

Freeman CM, Crudgington S et al. Design of a multi-center immunophenotyping analysis of peripheral blood, sputum and bronchoalveolar lavage fluid in the Subpopulations and Intermediate Outcome Measures in COPD Study (SPIROMICS). J Transl Med 2015-01-01 [PMID: 25622723] (FLOW)

Robinson AP, Rodgers JM, Goings GE, Miller SD. Characterization of Oligodendroglial Populations in Mouse Demyelinating Disease Using Flow Cytometry: Clues for MS Pathogenesis. PLoS One 2014-01-01 [PMID: 25247590] (FLOW)

Taichman RS, Patel LR, Bedenis R et al. GAS6 Receptor Status Is Associated with Dormancy and Bone Metastatic Tumor Formation. PLoS One 2013-01-01 [PMID: 23637920] (FLOW)

Jones CL, Ferreira S, McKenzie RC et al. Regulation of T-Plastin Expression by Promoter Hypomethylation in Primary Cutaneous T-Cell Lymphoma. J Invest Dermatol 2013-01-01 [PMID: 22495182] (FLOW)

Kim N, Kukkonen S, Gupta S, Aldovini A. Association of Tat with Promoters of PTEN and PP2A Subunits Is Key to Transcriptional Activation of Apoptotic Pathways in HIV-Infected CD4+ T Cells. PLoS Pathog. 2010-01-01 [PMID: 20862322] (FLOW)



### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

[www.novusbio.com](http://www.novusbio.com)  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Kits are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/765-0030](http://www.novusbio.com/reviews/submit/765-0030)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

