

Product Datasheet

Bcl-xL Antibody (3E2-2A5)

H00000598-M01

Unit Size: 0.1 mg

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/H00000598-M01

Updated 6/27/2023 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/H00000598-M01



H00000598-M01

Bcl-xL Antibody (3E2-2A5)

Product Information	
Unit Size	0.1 mg
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	3E2-2A5
Preservative	No Preservative
Isotype	IgG1 Kappa
Purity	IgG purified
Buffer	PBS (pH 7.4)

Product Description	
Description	Quality control test: Antibody Reactive Against Recombinant Protein.
Host	Mouse
Gene ID	598
Gene Symbol	BCL2L1
Species	Human
Specificity/Sensitivity	BCL2L1 - BCL2-like 1
Immunogen	BCL2L1 (AAH19307, 1 a.a. - 233 a.a.) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa. MSQSNRELVVDFLSYKLSQKGYSSWSQFSDVEENRTEAPEGTESEMETPSAIN GNPSWHLADSPAVNGATGHSSSLDAREVIPMAAVKQALREAGDEFELRYRRA FSDLTSQLHITPGTAYQSFEQVVNELFRDGVNWGRIVAFFSFGGALCVESVDK EMQVLVSRIAAWMATYLNHLEPWIQENGGWDTFVELYGNNAAESRKGQER FNRWFLTGMTVAGVVLLGSLFSRK
Notes	This product is produced by and distributed for Abnova, a company based in Taiwan.

Product Application Details	
Applications	Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Proximity Ligation Assay
Recommended Dilutions	Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Proximity Ligation Assay
Application Notes	Antibody reactivity against cell lysate and recombinant protein for WB. It has also been used for IF and ELISA.

Publications

Turkmen S, Riehn M, Klopocki E et al. A BACH2-BCL2L1 fusion gene resulting from at (6; 20)(q15; q11. 2) chromosomal translocation in the lymphoma cell line BLUE-1. Genes Chromosomes Cancer. 2011-03-15 [PMID: 21412927]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA

Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
novus@novusbio.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada

Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: technical@novusbio.com
Orders: orders@novusbio.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/H00000598-M01

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

