# **Product Datasheet**

# DUSP9 Antibody (2E3) - Azide and BSA Free H00001852-M04

Unit Size: 0.1 mg

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/H00001852-M04

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/H00001852-M04



# H00001852-M04

DUSP9 Antibody (2E3) - Azide and BSA Free

nd BSA Free	
0.1 mg	
Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.	
Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.	
Monoclonal	
2E3	
No Preservative	
IgG2a Kappa	
IgG purified	
In 1x PBS, pH 7.4	
Product Description	
Quality control test: Antibody Reactive Against Recombinant Protein.	
Mouse	
1852	
DUSP9	
Human	
DUSP9 (2E3)	
DUSP9 (NP_001386, 174 a.a. ~ 278 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa. AESEADRDSMSCGLDSEGATPPPVGLRASFPVQILPNLYLGSARDSANLESLA KLGIRYILNVTPNLPNFFEKNGDFHYKQIPISDHWSQNLSRFFPEAIEFIDE	
This product is produced by and distributed for Abnova, a company based in Taiwan.	
Product Application Details	


<b>Product Application Details</b>	
Applications	Western Blot, ELISA, Proximity Ligation Assay
Recommended Dilutions	Western Blot 1:500, ELISA, Proximity Ligation Assay
Application Notes	Antibody reactivity against cell lysate and recombinant protein for WB. It has also been used for ELISA.



## **Images**

Western Blot: DUSP9 Antibody (2E3) [H00001852-M04] - Analysis of DUSP9 expression in HeLa (Cat # L013V1).

Proximity Ligation Assay: DUSP9 Antibody (2E3) [H00001852-M04] - Analysis of protein-protein interactions between MAPK3 and DUSP9. HeLa cells were stained with anti-MAPK3 rabbit purified polyclonal 1:1200 and anti-DUSP9 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex, and nuclei were counterstained with DAPI (blue).





# Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

### Bio-Techne Canada 21 Canmotor Ave

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@bio-

techne.com
Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Error: Subreport could not be shown.

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/H00001852-M04

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

