

Product Datasheet

Epimorphin/Syntaxin 2 Antibody H00002054-B01P

Unit Size: 0.05 mg

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/H00002054-B01P

Updated 6/27/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/H00002054-B01P



H00002054-B01P

Epimorphin/Syntaxin 2 Antibody

Product Information

Unit Size	0.05 mg
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	No Preservative
Isotype	IgG
Purity	Protein A purified
Buffer	PBS (pH 7.4)

Product Description


Description	Quality control test: Antibody reactive against mammalian transfected lysate.
Host	Mouse
Gene ID	2054
Gene Symbol	STX2
Species	Human
Specificity/Sensitivity	Reacts with syntaxin 2.
Immunogen	STX2 (NP_001971.2, 1 a.a. - 287 a.a.) full-length human protein. MRDRLPDLTACRKNDGDTVVVEKDHFMDDFFHQVEEIRNSIDKITQYVEEV KKNHSIILSAPNPEGKIKEELEDLNKEIKKTANKIRAKLKAIEQSFDQDESGNRTS VDLIRRRTQHSVLSRKFVEAMAEYNEAQTLFRERSKGRIQRQLEITGRTTDD LEEMLESGKPSIFTSDIISDSQITRQALNEIESRHKDIMKLETSIRELHEMFMDMA MFVETQGEMINNIERNVMNATDYVEHAKETKKAIKYQSKARRKLMFIICVIVLL VILGILATTLS
Notes	This product is produced by and distributed for Abnova, a company based in Taiwan.

Product Application Details


Applications	Western Blot
Recommended Dilutions	Western Blot
Application Notes	This antibody is reactive against tissue and transfected lysate in WB and as a detection antibody in ELISA.

Images

Western Blot: Epimorphin/Syntaxin 2 Antibody [H00002054-B01P] - Analysis of EPIM expression in human kidney.



Western Blot: Epimorphin/Syntaxin 2 Antibody [H00002054-B01P] - Analysis of STX2 expression in transfected 293T cell line by STX2 polyclonal antibody. Lane 1: EPIM transfected lysate(31.57 KDa). Lane 2: Non-transfected lysate.





Novus Biologicals USA

10730 E. Briarwood Avenue

Centennial, CO 80112

USA

Phone: 303.730.1950

Toll Free: 1.888.506.6887

Fax: 303.730.1966

novus@novusbio.com

Bio-Techne Canada

21 Canmotor Ave

Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400

Toll Free: 855.668.8722

Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane

Abingdon Science Park

Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15

Fax: (44) (0) 1235 533420

info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: technical@novusbio.com

Orders: orders@novusbio.com

General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis.

Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/H00002054-B01P

Earn gift cards/discounts by submitting a publication using this product:

www.novusbio.com/publications

