

Product Datasheet

Flt-3 Ligand/FLT3L Antibody **H00002323-B01P**

Unit Size: 0.05 mg

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/H00002323-B01P

Updated 6/27/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/H00002323-B01P



H00002323-B01P

Flt-3 Ligand/FLT3L Antibody

Product Information

Unit Size	0.05 mg
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	No Preservative
Isotype	IgG
Purity	Protein A purified
Buffer	PBS (pH 7.4)

Product Description


Description	Quality control test: Antibody reactive against mammalian transfected lysate.
Host	Mouse
Gene ID	2323
Gene Symbol	FLT3LG
Species	Human
Specificity/Sensitivity	FLT3LG - fms-related tyrosine kinase 3 ligand,
Immunogen	FLT3LG (NP_001450.2, 1 a.a. - 235 a.a.) full-length human protein. MTVLAPAWSPTYLLLLLSSGLSGTQDCSFQHSPISDFAVKIRELSDYLLQD YPVTVASNLQDEELCGGLWRLVLAQRWMERLKTAVGSKMQGLLERVNTEIH VTKCAFQPPPSCLRFVQTNISRLLQETSEQLVALKPWITRQNFSRCLELQCQPD SSTLPPPWSPRPLEATAPTAQPPLLLLPVGLLLAAWCLHWQRTRRRTP RPGEQVPPVPSPQDLLLVEH
Notes	This product is produced by and distributed for Abnova, a company based in Taiwan.

Product Application Details


Applications	Western Blot, Immunocytochemistry/Immunofluorescence
Recommended Dilutions	Western Blot, Immunocytochemistry/Immunofluorescence
Application Notes	Antibody reactivity against Recombinant Protein with GST tag on ELISA and WB and also on transfected lysate in WB. GST tag alone is used as a negative control. It has been used for IF.

Images

Western Blot: Flt-3 Ligand Antibody [H00002323-B01P] - Analysis of FLT3LG expression in transfected 293T cell line by FLT3LG polyclonal antibody. Lane 1: FLT3LG transfected lysate(25.85 KDa). Lane 2: Non-transfected lysate.



Immunocytochemistry/Immunofluorescence: Flt-3 Ligand Antibody [H00002323-B01P] - Analysis of purified antibody to FLT3LG on HeLa cell. (antibody concentration 10 ug/ml)





Novus Biologicals USA

10730 E. Briarwood Avenue

Centennial, CO 80112

USA

Phone: 303.730.1950

Toll Free: 1.888.506.6887

Fax: 303.730.1966

novus@novusbio.com

Bio-Techne Canada

21 Canmotor Ave

Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400

Toll Free: 855.668.8722

Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane

Abingdon Science Park

Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15

Fax: (44) (0) 1235 533420

info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: technical@novusbio.com

Orders: orders@novusbio.com

General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis.

Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/H00002323-B01P

Earn gift cards/discounts by submitting a publication using this product:

www.novusbio.com/publications