# **Product Datasheet**

# NOV/CCN3 Antibody (2G8) H00004856-M02

Unit Size: 0.1 mg

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/H00004856-M02

Updated 7/16/2023 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/H00004856-M02



# H00004856-M02

NOV/CCN3 Antibody (2G8)

NOV/CCNS Allibody (200)	
Product Information	
Unit Size	0.1 mg
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	2G8
Preservative	No Preservative
Isotype	IgG2a Kappa
Purity	Protein A purified
Buffer	In 1x PBS, pH 7.4
Product Description	
Description	Quality control test: Antibody Reactive Against Recombinant Protein.
Host	Mouse
Gene ID	4856

Product Description	
Description	Quality control test: Antibody Reactive Against Recombinant Protein.
Host	Mouse
Gene ID	4856
Gene Symbol	CCN3
Species	Human
Specificity/Sensitivity	Reacts with nephroblastoma overexpressed gene.
Immunogen	NOV (NP_002505.1, 32 a.a. ~ 131 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa. TQRCPPQCPGRCPATPPTCAPGVRAVLDGCSCCLVCARQRGESCSDLEPCD ESSGLYCDRSADPSNQTGICTAVEGDNCVFDGVIYRSGEKFQPSCKFQC
Notes	This product is produced by and distributed for Abnova, a company based in Taiwan.

Product Application Details	
Applications	Western Blot, ELISA, Immunoprecipitation
Recommended Dilutions	Western Blot, ELISA, Immunoprecipitation
Application Notes	This antibody is reactive against recombinant protein in WB and ELISA.



## **Images** Western Blot: NOV/CCN3 Antibody (2G8) [H00004856-M02] - Analysis 250 of NOV expression in transfected 293T cell line by NOV monoclonal 150 antibody (M02), clone 2G8.Lane 1: NOV transfected lysate(39.2 75 -KDa).Lane 2: Non-transfected lysate. 50 -37 -25-20-15-10-250 **-**150 **-**Immunoprecipitation: NOV/CCN3 Antibody (2G8) [H00004856-M02] -Analysis of NOV transfected lysate using anti-NOV monoclonal antibody 100and Protein A Magnetic Bead, and immunoblotted with NOV MaxPab 75 rabbit polyclonal antibody. 50 -37 -25 -20-15-

10-



# Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966 novus@novusbio.com

## **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Frie Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

## **General Contact Information**

www.novusbio.com

Technical Support: technical@novusbio.com

Orders: orders@novusbio.com General: novus@novusbio.com

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/H00004856-M02

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

