

Product Datasheet

CXCL11/I-TAC Antibody H00006373-D01P

Unit Size: 0.1 mg

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/H00006373-D01P

Updated 6/27/2023 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/H00006373-D01P



H00006373-D01P**CXCL11/I-TAC Antibody****Product Information**

Unit Size	0.1 mg
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	No Preservative
Isotype	IgG
Purity	Protein A purified
Buffer	PBS (pH 7.4)

Product Description

Description	Quality control test: Antibody reactive against mammalian transfected lysate.
Host	Rabbit
Gene ID	6373
Gene Symbol	CXCL11
Species	Human, Mouse
Specificity/Sensitivity	CXCL11 - chemokine (C-X-C motif) ligand 11,
Immunogen	CXCL11 (NP_005400.1, 1 a.a. - 94 a.a.) full-length human protein. MSVKGMAIALAVILCATVVQGFPFMFKRGRCLCIGPGVKAVKVADIEKASIMYPS NNCDKIEVIITLKENKGQRCLNPKSKQARLIKKVERKNF
Notes	This product is produced by and distributed for Abnova, a company based in Taiwan.


Product Application Details

Applications	Western Blot, Immunohistochemistry
Recommended Dilutions	Western Blot, Immunohistochemistry
Application Notes	Antibody reactivity against Recombinant Protein with GST tag on ELISA and WB and also on transfected lysate in WB. GST tag alone is used as a negative control. Use in Immunohistochemistry reported in scientific literature (PMID 28239742).




Images


Western Blot: CXCL11/I-TAC Antibody [H00006373-D01P] - Analysis of CXCL11 expression in NIH/3T3.



Western Blot: CXCL11/I-TAC Antibody [H00006373-D01P] - Analysis of CXCL11 expression in Jurkat.



Western Blot: CXCL11/I-TAC Antibody [H00006373-D01P] - Analysis of CXCL11 expression in transfected 293T cell line by CXCL11 polyclonal antibody. Lane 1: CXCL11 transfected lysate(10.40 KDa). Lane 2: Non-transfected lysate.



Publications

Gu HQ, Zhang ZB, Zhang JW et al. The role of the SDF-1/ CXCR7 axis on the growth and invasion ability of endometrial cancer cells. Arch. Gynecol. Obstet. 2017-04-01 [PMID: 28239742] (IF/IHC, Human)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
novus@novusbio.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: technical@novusbio.com
Orders: orders@novusbio.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis.
Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/H00006373-D01P

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

