# **Product Datasheet**

# FGF18 Antibody - Azide and BSA Free H00008817-B01P

Unit Size: 0.05 mg

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 1** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/H00008817-B01P

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/H00008817-B01P



# H00008817-B01P

FGF18 Antibody - Azide and BSA Free


Product Information	
Unit Size	0.05 mg
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	No Preservative
Isotype	IgG
Purity	IgG purified
Buffer	PBS (pH 7.4)

<b>5</b> 4.101	1 DC (p117.1)
Product Description	
Description	Quality control test: Antibody reactive against mammalian transfected lysate.
Host	Mouse
Gene ID	8817
Gene Symbol	FGF18
Species	Human, Bovine
Reactivity Notes	Bovine reactivity reported in scientific literature (PMID: 20484739).
Specificity/Sensitivity	FGF18 - fibroblast growth factor 18,
Immunogen	FGF18 (NP_003853.1, 1 a.a 207 a.a.) full-length human protein. MYSAPSACTCLCLHFLLLCFQVQVLVAEENVDFRIHVENQTRARDDVSRKQLR LYQLYSRTSGKHIQVLGRRISARGEDGDKYAQLLVETDTFGSQVRIKGKETEFY LCMNRKGKLVGKPDGTSKECVFIEKVLENNYTALMSAKYSGWYVGFTKKGRP RKGPKTRENQQDVHFMKRYPKGQPELQKPFKYTTVTKRSRRIRPTHPA
Notes	This product is produced by and distributed for Abnova, a company based in Taiwan.

Product Application Details	
Applications	Western Blot
Recommended Dilutions	Western Blot
Application Notes	Antibody reactivity against transfected lysate for WB. It has been used for ELISA.

### **Images**

Western Blot: FGF18 Antibody [H00008817-B01P] - Analysis of FGF18 expression in transfected 293T cell line by FGF18 polyclonal antibody. Lane 1: FGF18 transfected lysate(22.77 KDa). Lane 2: Non-transfected lysate.





# **Publications**

Portela VM, Machado M, Buratini J Jr et al. Expression and function of fibroblast growth factor 18 in the ovarian follicle in cattle. Biol Reprod 2010-09-01 [PMID: 20484739] (WB, Bovine)





# Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

#### Products Related to H00008817-B01P

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97019-5mg Mouse IgG Isotype Control

NBP2-35296-5ug Recombinant Rat FGF18 Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/H00008817-B01P

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

