# **Product Datasheet**

# N myc interactor Antibody H00009111-B01P

Unit Size: 50 ug

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/H00009111-B01P

Updated 1/12/2021 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/H00009111-B01P



# H00009111-B01P

N myc interactor Antibody

N myc interactor Antibody		
Product Information		
Unit Size	50 ug	
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.	
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.	
Clonality	Polyclonal	
Preservative	No Preservative	
Isotype	IgG	
Purity	Protein G purified	
Buffer	PBS (pH 7.4)	
Product Description		
Host	Mouse	
Gene ID	9111	
Gene Symbol	NMI	
Species	Human	
Reactivity Notes	This product is reactive against Human.	
Immunogen	NMI (AAH21987.1, 1 a.a 307 a.a.) full-length human protein. MEADKDDTQQILKEHSPDEFIKDEQNKGLIDEITKKNIQLRKEIQKLETELQEATK EFQIKEDIPETKMKFLSVETPENDSQLSNISCSFQVSSKVPYEIQKGQALITFEKE EVAQNVVSMSKHHVQIKDVNLEVTAKPVPLNSGVRFQVYVEVSKMKINVTEIPD TLREDQMRDKLELSFSKSRNGGGEVDRVDYDRQSGSAVITFVEIGVADKILKKK EYPLYINQTCHRVTVSPYTEIHLKKYQIFSGTSKRTVLLTGMEGIQMDEEIVEDLI NIHFQRAKNGGGEVDVVKCSLGQPHIAYFEE	
Notes	This product is produced by and distributed for Abnova, a company based in Taiwan.	
Product Application Details		
Applications	Western Blot	
Recommended Dilutions	Western Blot	

<b>Product Application Details</b>	
Applications	Western Blot
Recommended Dilutions	Western Blot
Application Notes	This antibody is useful for Western Blot



	1 ago 2 of 0 v.20.1 opaatoa 1/12/2021
Images	
Western Blot: N myc interactor Antibody [H00009111-B01P] - Analysis of NMI expression in human spleen.	250 = 150 = 100 = 75 = 50 = 37 = 4 = 4 = 25 = 20 = 15 = 10 = 10 = 10 = 10 = 10 = 10 = 1
Western Blot: N myc interactor Antibody [H00009111-B01P] - Analysis of NMI expression in transfected 293T cell line by NMI polyclonal antibody. Lane 1: NMI transfected lysate(33.77 KDa). Lane 2: Non-transfected lysate.	1 2  250 - 150 - 100 - 75 - 50 - 37 - 4





# Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966 novus@novusbio.com

### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

## **General Contact Information**

www.novusbio.com

Technical Support: technical@novusbio.com

Orders: orders@novusbio.com General: novus@novusbio.com

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/H00009111-B01P

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

