Product Datasheet

MVP Antibody (2H3-1A6) - Azide and BSA Free H00009961-M01

Unit Size: 0.1 mg

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/H00009961-M01

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/H00009961-M01



H00009961-M01


MVP Antibody (2H3-1A6) - Azide and BSA Free

0.1 mg
Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Monoclonal
2H3-1A6
No Preservative
IgG2a Kappa
IgG purified
In 1x PBS, pH 7.4
Mouse
9961
MVP
Human
MVP - major vault protein
MVP (AAH15623, 1 a.a. ~ 893 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa. MATEEFIIRIPPYHYIHVLDQNSNVSRVEVGPKTYIRQDNERVLFAPMRMVTVPP RHYCTVANPVSRDAQGLVLFDVTGQVRLRHADLEIRLAQDPFPLYPGEVLEKDI TPLQVVLPNTALHLKALLDFEDKDGDKVVAGDEWLFEGPGTYIPRKEVEVVEII QATIIRQNQALRLRARKECWDRDGKERVTGEEWLVTTVGAYLPAVFEEVLDLV DAVILTEKTALHLRARRNFRDFRGVSRRTGEEWLVTVQDTEAHVPDVHEEVLG VVPITTLGPHNYCVILDPVGPDGKNQLGQKRVVKGEKSFFLQPGEQLEQGIQD VYVLSEQQGLLLRALQPLEEGEDEEKVSHQAGDHWLIRGPLEYVPSAKVEVVE ERQAIPLDENEGIYVQDVKTGKVRAVIGSTYMLTQDEVLWEKELPPGVEELLNK GQDPLADRGEKDTAKSLQPLAPRNKTRVVSYRVPHNAAVQVYDYREKRARVV FGPELVSLGPEEQFTVLSLSAGRPKRPHARRALCLLLGPDFFTDVITIETADHAR LQLQLAYNWHFEVNDRKDPQETAKLFSVPDFVGDACKAIASRVRGAVASVTFD DFHKNSARIIRTAVFGFETSEAKGPDGMALPRPRDQAVFPQNGLVVSSVDVQS VEPVDQRTRDALQRSVQLAIEITTNSQEAAAKHEAQRLEQEARGRLERQKILDQ SEAEKARKELLELEALSMAVESTGTAKAEAESRAEAARIEGEGSVLQAKLKAQA LAIETEAELQRVQKVRELELVYARAQLELEVSKAQQLAEVEVKKFKQMTEAIGP STIRDLAVAGPEMQVKLLQSLGLKSTLITDGSTPINLFNTAFGLLGMGPEGQPL GRRVASGPSPGEGISPQSAQAPQAPGDNHVVPVLR
This product is produced by and distributed for Abnova, a company based in Taiwan.
Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Western Blot 1:500, ELISA, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin
Antibody reactive against cell lysate and recombinant protein for Western Blot. Has also been used for immunofluoresence, immunohistochemistry (paraffin), and ELISA.




Images


Western Blot: MVP Antibody (2H3-1A6) [H00009961-M01] - Western blot of several proteins that were increased or decreased in DBA patients including dysferlin (DYSF), gamma-adducin (ADD3), major vault protein (MVP), serine palmitoyltransferase 1 and 2 (SPTLC1 and SPTLC2), HLA-ABC, and intercellular adhesion molecule 4 (ICAM4) with b-actin (ACTB) used as a loading control. Six individual control samples that were included in the pooled controls for proteomic analysis were used for comparison to individual DBA patient samples. Image collected and cropped by CiteAb from the following publication (dx.plos.org/10.1371/journal.pone.0085504), licensed under a CC-BY license.




Immunocytochemistry/Immunofluorescence: MVP Antibody (2H3-1A6) [H00009961-M01] - Analysis of monoclonal antibody to MVP on HeLa cell. Antibody concentration 10 ug/ml.




Immunohistochemistry-Paraffin: MVP Antibody (2H3-1A6) [H00009961-M01] - Analysis of monoclonal antibody to MVP on formalin-fixed paraffin-embedded human lung, adenosquamous cell carcinoma. Antibody concentration 3 ug/ml.



Western Blot: MVP Antibody (2H3-1A6) [H00009961-M01] - MVP monoclonal antibody (M01), clone 2H3-1A6 Analysis of MVP expression in Hela S3 NE.




ELISA: MVP Antibody (2H3-1A6) [H00009961-M01] - Detection limit for recombinant GST tagged MVP is approximately 1ng/ml as a capture antibody.



Western Blot: MVP Antibody (2H3-1A6) [H00009961-M01] - Immunoblot A validation & characterization of dysferlin.A) Western blot of several proteins that were increased or decreased in DBA patients including dysferlin (DYSF), gamma-adducin (ADD3), major vault protein (MVP), serine palmitoyltransferase 1 & 2 (SPTLC1 & SPTLC2), HLA-ABC, & intercellular adhesion molecule 4 (ICAM4) with β-actin (ACTB) used as a loading control. Six individual control samples that were included in the pooled controls for proteomic analysis were used for comparison to individual DBA patient samples. B) Confocal images of intact RBCs from DBA patient D1 & healthy control C2 showing localization of dysferlin (green) at the membrane where spectrin (red) is localized. Dysferlin fluorescence signal in the membrane of DBA RBCs is present in punctuate patterns & is evident above the autofluorescent background seen in the cytoplasm as highlighted in the zoomed images on the right panel. C) Western blot showing the enrichment of dysferlin in the RBC ghosts (WG) & the inside-out vesicles (IOV) but not in the RBC membrane cytoskeletal extract (CE) of DBA patients D1 & D2. D) Distribution of dysferlin spectral counts versus gel slice number for DBA samples D1 & D2. Higher abundance of dysferlin in D1 with high molecular weight dysferlin crosslinks & low mass protein fragments correlate with immunoblots shown in panel A. Image collected & cropped by CiteAb from the following publication (https://pubmed.ncbi.nlm.nih.gov/24454878), licensed under a CC-BY

license. Not internally tested by Novus Biologicals.



Publications

Rahimi AS, Wilson DD, Saylor DK et al. p16, Cyclin D1, and HIF-1alpha Predict Outcomes of Patients with Oropharyngeal Squamous Cell Carcinoma Treated with Definitive Intensity-Modulated Radiation Therapy. Int J Otolaryngol. 2012-01-01 [PMID: 22888357] (IF/IHC)

Pesciotta EN, Sriswasdi S, Tang HY et al. Dysferlin and other non-red cell proteins accumulate in the red cell membrane of Diamond-Blackfan Anemia patients. PLoS ONE 2014-01-23 [PMID: 24454878] (WB, Human)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to H00009961-M01

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-96981-0.5mg Mouse IgG2a Kappa Isotype Control (M2AK)

H00009961-P01-10ug Recombinant Human MVP GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/H00009961-M01

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

