Product Datasheet

WBP2 Antibody (3B1) - Azide and BSA Free H00023558-M02

Unit Size: 0.1 mg

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/H00023558-M02

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/H00023558-M02



H00023558-M02


WBP2 Antibody (3B1) - Azide and BSA Free

0.1 mg	
Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.	
Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.	
Monoclonal	
3B1	
No Preservative	
IgG2a Kappa	
IgG purified	
In 1x PBS, pH 7.4	
Product Description	
Mouse	
23558	
WBP2	
Human	
WBP2 - WW domain binding protein 2 (3B1)	
WBP2 (AAH10616, 1 a.a. ~ 261 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa. MALNKNHSEGGGVIVNNTESILMSYDHVELTFNDMKNVPEAFKGTKKGTVYLT PYRVIFLSKGKDAMQSFMMPFYLMKDCEIKQPVFGANYIKGTVKAEAGGGWE GSASYKLTFTAGGAIEFGQRMLQVASQASRGEVPSGAYGYSYMPSGAYVYPP PVANGMYPCPPGYPYPPPPEFYPGPPMMDGAMGYVQPPPPYPGPMEPPV SGPDVPSTPAAEAKAAEAAASAYYNPGNPHNVYMPTSQPPPPYYPPEDKKT Q	
This product is produced by and distributed for Abnova, a company based in Taiwan.	
Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunoprecipitation	
Western Blot 1:500, ELISA, Immunocytochemistry/ Immunofluorescence, Immunoprecipitation	
Antibody Reactive Against Recombinant Protein with GST tag on ELISA and Western Blot. GST tag alone is used as a negative control.	




Images

Western Blot: WBP2 Antibody (3B1) [H00023558-M02] - Analysis of WBP2 expression in transfected 293T cell line by WBP2 monoclonal antibody (M02), clone 3B1.Lane 1: WBP2 transfected lysate (Predicted MW: 28.1 KDa).Lane 2: Non-transfected lysate.



Immunocytochemistry/Immunofluorescence: WBP2 Antibody (3B1) [H00023558-M02] - Analysis of monoclonal antibody to WBP2 on HeLa cell . Antibody concentration 10 ug/ml.



Publications

Lim SK, Orhant-Prioux M, Toy W et al. Tyrosine phosphorylation of transcriptional coactivator WW-domain binding protein 2 regulates estrogen receptor alpha function in breast cancer via the Wnt pathway. FASEB J. 2012-06-09 [PMID: 21642474]

Chan SW, Lim CJ, Huang C et al. WW domain-mediated interaction with Wbp2 is important for the oncogenic property of TAZ. Oncogene. 2010-10-25 [PMID: 20972459]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to H00023558-M02

NBP2-22948	Recombinant Human WBP2 His Protein
NBP1-96981-0.5mg	Mouse IgG2a Kappa Isotype Control (M2AK)
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/H00023558-M02

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

