Product Datasheet

Exosome component 4 Antibody (4F10) - Azide and BSA Free H00054512-M01

Unit Size: 0.1 mg

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/H00054512-M01

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/H00054512-M01



H00054512-M01

Notes

Exosome component 4 Antibody (4F10) - Azide and BSA Free	
Product Information	
Unit Size	0.1 mg
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	4F10
Preservative	No Preservative
Isotype	IgG2a Kappa
Purity	IgG purified
Buffer	In 1x PBS, pH 7.4
Product Description	
Host	Mouse
Gene ID	54512
Gene Symbol	EXOSC4
Species	Human
Specificity/Sensitivity	EXOSC4 - exosome component 4 (4F10)
Immunogen	EXOSC4 (NP_061910.1, 1 a.a. ~ 100 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa. MAGLELLSDQGYRVDGRRAGELRKIQARMGVFAQADGSAYIEQGNTKALAVV YGPHEIRGSRARALPDRALVNCQYSSATFSTGERKRRPHGDRKSCEMG

Product Application Details	
Applications	Western Blot, ELISA, Sandwich ELISA
Recommended Dilutions	Western Blot 1:500, ELISA, Sandwich ELISA
Application Notes	Antibody Reactive Against Recombinant Protein with GST tag on ELISA and Western Blot. GST tag alone is used as a negative control.

This product is produced by and distributed for Abnova, a company based in



Taiwan.

Images

Western Blot: Exosome component 4 Antibody (4F10) [H00054512-M01] 250 = - Analysis of EXOSC4 expression in transfected 293T cell line by EXOSC4 monoclonal antibody (M01), clone 4F10.Lane 1: EXOSC4 199= transfected lysate(26.4 KDa).Lane 2: Non-transfected lysate. 50 -25-20-10-Sandwich ELISA: Exosome component 4 Antibody (4F10) [H00054512-1.4 M01] - Detection limit for recombinant GST tagged EXOSC4 is 0.1 ng/ml 1.2 as a capture antibody. 1 名 0.8 8 0.6 0.4 0.2 0 0.1 1000 Recombinant Protein Concentration (ng/ml)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to H00054512-M01

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-96981-0.5mg Mouse IgG2a Kappa Isotype Control (M2AK)

NBP2-23032 Recombinant Human Exosome component 4 His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/H00054512-M01

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

