# **Product Datasheet**

# ATPase Inhibitory Factor 1 Antibody - Azide and BSA Free H00093974-B01P

Unit Size: 0.05 mg

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/H00093974-B01P

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/H00093974-B01P



## H00093974-B01P


ATPase Inhibitory Factor 1 Antibody - Azide and BSA Free

ATPase Inhibitory Factor 1 Antibody - Azide and BSA Free	
Product Information	
Unit Size	0.05 mg
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	No Preservative
Isotype	IgG
Purity	Protein A purified
Buffer	PBS (pH 7.4)
Product Description	
Host	Mouse
Gene ID	93974
Gene Symbol	ATP5IF1
Species	Human
Specificity/Sensitivity	ATPIF1 - ATPase inhibitory factor 1,
Immunogen	ATPIF1 (NP_057395.1, 1 a.a 106 a.a.) full-length human protein. MAVTALAARTWLGVWGVRTMQARGFGSDQSENVDRGAGSIREAGGAFGKRE QAEEERYFRAQSREQLAALKKHHEEEIVHHKKEIERLQKEIERHKQKIKMLKHD D
Notes	This product is produced by and distributed for Abnova, a company based in Taiwan.
Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence
Recommended Dilutions	Western Blot 1:500, Immunocytochemistry/ Immunofluorescence
Application Notes	Antibody reactive against recombinant protein with GST tag on ELISA and western blot and also on transfected lysate in western blot. GST tag alone is used as a negative control. Has also been used for immunofluorescence.




## **Images**

Western Blot: ATPase Inhibitory Factor 1 Antibody [H00093974-B01P] - Analysis of ATPIF1 expression in transfected 293T cell line by ATPIF1 polyclonal antibody. Lane 1: ATPIF1 transfected lysate(11.66 KDa). Lane 2: Non-transfected lysate.



Immunocytochemistry/Immunofluorescence: ATPase Inhibitory Factor 1 Antibody [H00093974-B01P] - Analysis of purified antibody to ATPIF1 on HeLa cell. (antibody concentration 10 ug/ml)





# **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

**Bio-Techne Ltd** 

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Error: Subreport could not be shown.

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/H00093974-B01P

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

