

Product Datasheet

BMAL1 Antibody - BSA Free

NB100-129SS

Unit Size: 0.1 ml

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-129

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-129



NB100-129SS


BMAL1 Antibody - BSA Free

Product Information	
Unit Size	0.1 ml
Concentration	This product is unpurified. The exact concentration of antibody is not quantifiable.
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Unpurified
Buffer	Whole antisera
Target Molecular Weight	73 kDa
Product Description	
Description	Novus Biologicals Rabbit BMAL1 Antibody - BSA Free (NB100-129) is a polyclonal antibody validated for use in WB, Simple Western and ChIP. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	406
Gene Symbol	BMAL1
Species	Human
Immunogen	Recombinant protein corresponding to residues 294-624 of human BMAL1. [UniProt# O00327]
Product Application Details	
Applications	Western Blot, Simple Western, Chromatin Immunoprecipitation (ChIP)
Recommended Dilutions	Western Blot 1:100 - 1:200, Simple Western 1:100, Chromatin Immunoprecipitation (ChIP) 1:10-1:500
Application Notes	This BMAL1 antibody is useful for Chromatin Immunoprecipitation and Western blot, where it recognizes a band at approx. 73 kDa representing BMAL1. Results were negative for ICC/IF in Hela and MCF7 cells. In Simple Western only 10 - 15 uL of the recommended dilution is used per data point. See Simple Western Antibody Database for Simple Western validation: Tested in NIH-3T3 lysate 0.5 mg/mL, separated by Size, antibody dilution of 1:100, apparent MW was 59 kDa. Separated by Size-Wes, Sally Sue/Peggy Sue. The observed molecular weight of the protein may vary from the listed predicted molecular weight due to post translational modifications, post translation cleavages, relative charges, and other experimental factors.




Images

Western Blot: BMAL1 Antibody [NB100-129] - Detection of BMAL in 3T3/L1 lysates.



Simple Western: BMAL1 Antibody [NB100-129] - Image shows a specific band for BMAL1 in 0.5 mg/mL of NIH-3T3 lysate. This experiment was performed under reducing conditions using the 12-230 kDa separation system.



Procedures

Western Blot protocol for BMAL1 Antibody (NB100-129)

Procedure Guide for NB 100-129 BMAL1 Antibody:

(Anti-MOP3 aka Anti-BMAL1)

Western Blot Procedure

1. Proteins are separated by electrophoresis.
2. Proteins are transferred to nitrocellulose sheets.
3. Following the protein transfer, the filters are blocked for 1 hour at room temperature, gently shaking.
4. The filters are then incubated with a 1:100 dilution of (NB100-129) anti-MOP3 (aka: Banti-BMAL1) in PBS + 5% Dry Milk for 2 hours at room temperature, gently shaking. *
5. The filters are washed three times with TBST at room temperature.
6. The filters are then incubated with an Alkaline Phosphatase conjugated secondary antibody [Goat anti-Rabbit Alk Phos conjugated Ab from Jackson ImmunoResearch #111-055-003], diluted 1:5000 in PBS + 5% Dry Milk, for 1 hour at room temperature.
7. The filters are washed three times with TBST at room temperature.
8. Stained the filters with NBT/BCIP substrate at room temperature.
9. The filters are finally washed three times with TBST at room temperature.

* Overnight at 4 degrees C will increase sensitivity





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB100-129SS

NBL1-07722	BMAL1 Overexpression Lysate
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-129

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

