Product Datasheet

EGLN1/PHD2 Antibody [FITC] NB100-137F

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-137F

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB100-137F



NB100-137F

EGLN1/PHD2 Antibody [FITC]

Product Information	
Unit Size	0.1 ml
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C in the dark.
Clonality	Polyclonal
Preservative	0.05% Sodium Azide
Isotype	IgG
Conjugate	FITC
Purity	Immunogen affinity purified
Buffer	PBS
Product Description	
Host	Rabbit
Gene ID	54583
Gene Symbol	EGLN1
Species	Human, Mouse, Rat, Primate
Reactivity Notes	Results for use of this EGLN1/PHD2 antibody have been mixed in Rat with success in Western blot analysis and immunofluorescence on Rat endothelial cells and negative results with PC12 cells. Mouse reactivity reported in scientific literature (PMID: 25578858). Rat reactivity reported in scientific literature (PMID: 25635047). Primate reactivity reported in scientific literature (PMID: 25974097)
Immunogen	The epitope recognized by this EGLN1/PHD2 antibody maps to a region between residues 1 and 50 of human PHD2/HIF Prolyl Hydroxylase 2 using the numbering given in entry NP_071334.1 (GeneID 54583).
Notes	This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.
Product Application Details	
Applications	Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence
Application Notes	This PHD2 antibody is useful for Flow Cytometry, Immunocytochemistry/Immunofluorescence, Western Blot, and Immunohistochemistry-paraffin embedded sections. In ICC/IF, cytoplamic and nuclear staining was observed in HeLa cells. Immunoprecipitation was reported in scientific literature. The observed molecular weight of the protein may vary from the listed predicted
	molecular weight due to post translational modifications, post translation cleavages, relative charges, and other experimental factors.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NB100-137F

NBP2-24892Rabbit IgG Isotype Control [FITC]H00054583-P01-10ugRecombinant Human EGLN1/PHD2 GST (N-Term) ProteinDVE00VEGF [HRP]NB100-2219PEPEGLN1/PHD2 Antibody Blocking Peptide

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-137F

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

