# **Product Datasheet**

# Serpin E1/PAI-1 Antibody NB100-1498

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 2** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-1498

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB100-1498



## NB100-1498


Serpin E1/PAI-1 Antibody

Serpin E1/PAI-1 Antibody	
Product Information	
0.1 mg	
0.5 mg/ml	
Store at -20C. Avoid freeze-thaw cycles.	
Polyclonal	
0.02% Sodium Azide	
lgG	
Immunogen affinity purified	
Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA	
Product Description	
Novus Biologicals Goat Serpin E1/PAI-1 Antibody (NB100-1498) is a polyclonal antibody validated for use in IHC, WB and ELISA. Anti-Serpin E1/PAI-1 Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.	
Goat	
5054	
SERPINE1	
Human	
This antibody is expected to recognize both reported isoforms.	
Peptide with sequence C-GFKIDDKGMAPALRH corresponding to internal region according to NP_000593.1, NP_001158885.1.	
Product Application Details	
Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA	
Western Blot 0.1 - 0.3 ug/mL, Immunohistochemistry 4 - 6 ug/mL, Immunohistochemistry-Paraffin 4-6 ug/mL, Peptide ELISA Detection limit 1:64000	




### **Images**

Western Blot: Serpin E1/PAI-1 Antibody [NB100-1498] - Staining of A549 (A), HepG2 (B) and HeLa (C) lysates (35 ug protein in RIPA buffer). Antibody at 0.1 ug/mL. Primary incubation was 1 hour. Detected by chemiluminescence



Immunohistochemistry-Paraffin: Serpin E1/PAI-1 Antibody [NB100-1498] - Staining of paraffin embedded Human Placenta. Antibody at 4 ug/mL. Steamed antigen retrieval with Tris/EDTA buffer pH 9, HRP-staining.



Western Blot: Serpin E1/PAI-1 Antibody [NB100-1498] - Staining of Human Liver lysate (35 ug protein in RIPA buffer). Antibody at 0.3 ug/mL. Primary incubation was 1 hour. Detected by chemiluminescence.



#### **Publications**

Wang X, Guo L, Huang J et al. Plasminogen Activator Inhibitor-1 Potentiates Neutrophil Infiltration and Tissue Injury in Colitis International Journal of Biological Sciences 2023-04-18 [PMID: 37151884] (ELISA)

Baumruker T, Csonga R, Pursch E et al. Activation of mast cells by incorporation of cholesterol into rafts. Int Immunol 2003-10-01 [PMID: 13679390]





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NB100-1498**

HAF017 Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

HAF109 Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

NB410-28088-1mg Goat IgG Isotype Control

NBP1-19773PEP Serpin E1/PAI-1 Antibody Blocking Peptide

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-1498

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



