## **Product Datasheet**

# GAD2/GAD65 Antibody NB100-1506

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 1** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-1506

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB100-1506



## NB100-1506


GAD2/GAD65 Antibody

Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100 guarantee.  Host Goat  Gene ID 2572  Gene Symbol GAD2  Species Human  Marker GABAergic Neuronal Marker  Specificity/Sensitivity This antibody is expected to recognise both reported variants.  Immunogen Peptide with sequence C-TLEDNEERMSRLSK corresponding to internal region according to NP_000809.1, NP_001127838.1.  Product Application Details	GAD2/GAD65 Altibody	
Concentration 0.5 mg/ml  Storage Store at -20C. Avoid freeze-thaw cycles.  Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Immunogen affinity purified  Buffer Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA  Product Description  Description Novus Biologicals Goat GAD2/GAD65 Antibody (NB100-1506) is a polyclonal antibody validated for use in IHC, WB and ELISA. Anti-GAD2/GAD65 Antibody Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100 guarantee.  Host Goat Gene ID 2572 Gene Symbol GAD2  Species Human Marker GABAergic Neuronal Marker  Specificity/Sensitivity This antibody is expected to recognise both reported variants.  Immunogen Peptide with sequence C-TLEDNEERMSRLSK corresponding to internal regic according to NP_000809.1, NP_001127838.1.  Product Application Details  Applications Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA  Recommended Dilutions Western Blot 0.5-1.5 ug/ml, Immunohistochemistry, Immunohistochemistry-	Product Information	
Storage Stora at -20C. Avoid freeze-thaw cycles.  Clonality Polyclonal  Preservative 0.02% Sodium Azide  Isotype IgG  Purity Immunogen affinity purified  Buffer Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA  Product Description  Description Novus Biologicals Goat GAD2/GAD65 Antibody (NB100-1506) is a polyclonal antibody validated for use in IHC, WB and ELISA. Anti-GAD2/GAD65 Antibody Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100 guarantee.  Host Goat  Gene ID 2572  Gene Symbol GAD2  Species Human  Marker GABAergic Neuronal Marker  Specificity/Sensitivity This antibody is expected to recognise both reported variants.  Immunogen Peptide with sequence C-TLEDNEERMSRLSK corresponding to internal regic according to NP_000809.1, NP_001127838.1.  Product Application Details  Applications Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA  Recommended Dilutions Western Blot 0.5-1.5 ug/ml, Immunohistochemistry, Immunohistochemistry-	Unit Size	0.1 mg
Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA  Product Description Description Novus Biologicals Goat GAD2/GAD65 Antibody (NB100-1506) is a polyclonal antibody validated for use in IHC, WB and ELISA. Anti-GAD2/GAD65 Antibody Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100 guarantee.  Host Goat Gene ID 2572 Gene Symbol GAD2 Species Human Marker GABAergic Neuronal Marker Specificity/Sensitivity This antibody is expected to recognise both reported variants.  Immunogen Peptide with sequence C-TLEDNEERMSRLSK corresponding to internal regic according to NP_000809.1, NP_001127838.1.  Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA Recommended Dilutions	Concentration	0.5 mg/ml
Preservative Isotype IgG Purity Immunogen affinity purified Buffer Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA  Product Description  Novus Biologicals Goat GAD2/GAD65 Antibody (NB100-1506) is a polyclonal antibody validated for use in IHC, WB and ELISA. Anti-GAD2/GAD65 Antibody Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100 guarantee.  Host Goat Gene ID 2572 Gene Symbol GAD2 Species Human Marker GABAergic Neuronal Marker Specificity/Sensitivity This antibody is expected to recognise both reported variants.  Immunogen Peptide with sequence C-TLEDNEERMSRLSK corresponding to internal regic according to NP_000809.1, NP_001127838.1.  Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA Recommended Dilutions Western Blot 0.5-1.5 ug/ml, Immunohistochemistry, Immunohistochemistry-	Storage	Store at -20C. Avoid freeze-thaw cycles.
Isotype	Clonality	Polyclonal
Purity Immunogen affinity purified  Buffer Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA  Product Description  Novus Biologicals Goat GAD2/GAD65 Antibody (NB100-1506) is a polyclonal antibody validated for use in IHC, WB and ELISA. Anti-GAD2/GAD65 Antibody Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100 guarantee.  Host Goat  Gene ID 2572  Gene Symbol GAD2  Species Human  Marker GABAergic Neuronal Marker  Specificity/Sensitivity This antibody is expected to recognise both reported variants.  Immunogen Peptide with sequence C-TLEDNEERMSRLSK corresponding to internal regic according to NP_000809.1, NP_001127838.1.  Product Application Details  Applications Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA  Recommended Dilutions	Preservative	0.02% Sodium Azide
Buffer Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA  Product Description  Novus Biologicals Goat GAD2/GAD65 Antibody (NB100-1506) is a polyclonal antibody validated for use in IHC, WB and ELISA. Anti-GAD2/GAD65 Antibody Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100 guarantee.  Goat  Gene ID 2572  Gene Symbol GAD2  Species Human  Marker GABAergic Neuronal Marker  Specificity/Sensitivity This antibody is expected to recognise both reported variants.  Immunogen Peptide with sequence C-TLEDNEERMSRLSK corresponding to internal regic according to NP_000809.1, NP_001127838.1.  Product Application Details  Applications Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA  Recommended Dilutions Western Blot 0.5-1.5 ug/ml, Immunohistochemistry, Immunohistochemistry-	Isotype	IgG
Product Description  Description  Novus Biologicals Goat GAD2/GAD65 Antibody (NB100-1506) is a polyclonal antibody validated for use in IHC, WB and ELISA. Anti-GAD2/GAD65 Antibody Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100 guarantee.  Host  Goat  Gene ID  2572  Gene Symbol  GAD2  Species  Human  Marker  GABAergic Neuronal Marker  Specificity/Sensitivity  This antibody is expected to recognise both reported variants.  Immunogen  Peptide with sequence C-TLEDNEERMSRLSK corresponding to internal region according to NP_000809.1, NP_001127838.1.  Product Application Details  Applications  Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA  Recommended Dilutions  Western Blot 0.5-1.5 ug/ml, Immunohistochemistry, Immunohistochemistry-	Purity	Immunogen affinity purified
Description       Novus Biologicals Goat GAD2/GAD65 Antibody (NB100-1506) is a polyclonal antibody validated for use in IHC, WB and ELISA. Anti-GAD2/GAD65 Antibody Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100 guarantee.         Host       Goat         Gene ID       2572         Gene Symbol       GAD2         Species       Human         Marker       GABAergic Neuronal Marker         Specificity/Sensitivity       This antibody is expected to recognise both reported variants.         Immunogen       Peptide with sequence C-TLEDNEERMSRLSK corresponding to internal region according to NP_000809.1, NP_001127838.1.         Product Application Details       Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA         Recommended Dilutions       Western Blot 0.5-1.5 ug/ml, Immunohistochemistry, Immunohistochemistry-	Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA
antibody validated for use in IHC, WB and ELIŚA. Anti-GAD2/GAD65 Ántibody Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100 guarantee.  Host Goat  Gene ID 2572  Gene Symbol GAD2  Species Human  Marker GABAergic Neuronal Marker  Specificity/Sensitivity This antibody is expected to recognise both reported variants.  Immunogen Peptide with sequence C-TLEDNEERMSRLSK corresponding to internal regic according to NP_000809.1, NP_001127838.1.  Product Application Details  Applications Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA  Recommended Dilutions Western Blot 0.5-1.5 ug/ml, Immunohistochemistry, Immunohistochemistry-	Product Description	
Gene Symbol GAD2 Species Human Marker GABAergic Neuronal Marker Specificity/Sensitivity This antibody is expected to recognise both reported variants.  Immunogen Peptide with sequence C-TLEDNEERMSRLSK corresponding to internal region according to NP_000809.1, NP_001127838.1.  Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA Recommended Dilutions Western Blot 0.5-1.5 ug/ml, Immunohistochemistry, Immunohistochemistry-	Description	antibody validated for use in IHC, WB and ELISA. Anti-GAD2/GAD65 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100%
Gene Symbol Species Human Marker GABAergic Neuronal Marker Specificity/Sensitivity This antibody is expected to recognise both reported variants.  Immunogen Peptide with sequence C-TLEDNEERMSRLSK corresponding to internal region according to NP_000809.1, NP_001127838.1.  Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA Recommended Dilutions Western Blot 0.5-1.5 ug/ml, Immunohistochemistry, Immunohistochemistry-	Host	Goat
Species Human  Marker GABAergic Neuronal Marker  Specificity/Sensitivity This antibody is expected to recognise both reported variants.  Immunogen Peptide with sequence C-TLEDNEERMSRLSK corresponding to internal region according to NP_000809.1, NP_001127838.1.  Product Application Details  Applications Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA  Recommended Dilutions Western Blot 0.5-1.5 ug/ml, Immunohistochemistry, Immunohistochemistry-	Gene ID	2572
Marker  Specificity/Sensitivity  This antibody is expected to recognise both reported variants.  Immunogen  Peptide with sequence C-TLEDNEERMSRLSK corresponding to internal region according to NP_000809.1, NP_001127838.1.  Product Application Details  Applications  Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA  Recommended Dilutions  Western Blot 0.5-1.5 ug/ml, Immunohistochemistry, Immunohistochemistry-	Gene Symbol	GAD2
Specificity/Sensitivity This antibody is expected to recognise both reported variants.  Peptide with sequence C-TLEDNEERMSRLSK corresponding to internal region according to NP_000809.1, NP_001127838.1.  Product Application Details  Applications Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA  Recommended Dilutions Western Blot 0.5-1.5 ug/ml, Immunohistochemistry, Immunohistochemistry-	Species	Human
Peptide with sequence C-TLEDNEERMSRLSK corresponding to internal region according to NP_000809.1, NP_001127838.1.    Product Application Details	Marker	GABAergic Neuronal Marker
according to NP_000809.1, NP_001127838.1.  Product Application Details  Applications  Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA  Recommended Dilutions  Western Blot 0.5-1.5 ug/ml, Immunohistochemistry, Immunohistochemistry-	Specificity/Sensitivity	This antibody is expected to recognise both reported variants.
Applications  Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA  Recommended Dilutions  Western Blot 0.5-1.5 ug/ml, Immunohistochemistry, Immunohistochemistry-	Immunogen	Peptide with sequence C-TLEDNEERMSRLSK corresponding to internal region according to NP_000809.1, NP_001127838.1.
Recommended Dilutions Western Blot 0.5-1.5 ug/ml, Immunohistochemistry, Immunohistochemistry-	Product Application Details	
	Applications	Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA
	Recommended Dilutions	
Application Notes  WB: Approx 65kDa band observed in Human Brain (Hippocampus) lysates (calculated MW of 65.4kDa according to NP_000809.1). Primary incubation was 1 hour.	Application Notes	(calculated MW of 65.4kDa according to NP_000809.1). Primary incubation was



# Page 2 of 4 v.20.1 Updated 9/9/2025 **Images** 250kDa 150kDa 100kDa Western Blot: GAD2/GAD65 Antibody [NB100-1506] - (0.5ug/ml) staining of Human Brain (Hippocampus) lysate (35ug protein in RIPA buffer). Detected by chemiluminescence. 75kDa 50kDa 37kDa 25kDa 20kDa 15kDa Immunohistochemistry-Paraffin: GAD2/GAD65 Antibody [NB100-1506] -Negative Control showing staining of paraffin embedded Human Cortex, with no primary antibody. Immunohistochemistry-Paraffin: GAD2/GAD65 Antibody [NB100-1506] -

Immunohistochemistry-Paraffin: GAD2/GAD65 Antibody [NB100-1506] - (6ug/ml) staining of paraffin embedded Human Cortex. Heat induced antigen retrieval with citrate buffer pH 6, HRP-staining.



#### **Publications**

Meyre D, Boutin P, Tounian A et al. Is Glutamate Decarboxylase 2 (GAD2) a genetic link between low birth weight and subsequent development of obesity in children? J Clin Endocrinol Metab 2005-01-25 [PMID: 15671113]





### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NB100-1506**

HAF017 Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

HAF109 Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

NB410-28088-1mg Goat IgG Isotype Control

H00002572-P02-10ug Recombinant Human GAD2/GAD65 GST (N-Term) Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-1506

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



