

Product Datasheet

BLAP75 Antibody NB100-1720

Unit Size: 0.1 ml

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-1720

Updated 5/5/2022 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-1720



NB100-1720

BLAP75 Antibody

Product Information	
Unit Size	0.1 ml
Concentration	0.2 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	TBS and 0.1% BSA


Product Description	
Host	Rabbit
Gene ID	80010
Gene Symbol	RMI1
Species	Human
Immunogen	The immunogen recognized by this antibody maps to a region between residues 275 and 300 of human BLM Associated Protein, 75kDA using the numbering given in entry NP_079221.1 (GeneID 80010).

Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation
Recommended Dilutions	Western Blot 1:2000-1:10000, Immunohistochemistry 1:100-1:500, Immunoprecipitation 1-4 ug/mg of lysate, Immunohistochemistry-Paraffin 1:100-1:500
Application Notes	Epitope retrieval with citrate buffer pH 6.0 is recommended for FFPE tissue sections.




Images


Western Blot: BLAP75 Antibody [NB100-1720] - Whole cell lysate (50 ug) from U2OS, HeLa, MCF-7, and LNCaP cells prepared using NETN lysis buffer. Antibody: Affinity purified rabbit anti-BLAP75 antibody used for WB at 0.1 ug/ml. Detection: Chemiluminescence with an exposure time of 3 minutes.



Immunohistochemistry-Paraffin: BLAP75 Antibody [NB100-1720] - Section of human ovarian carcinoma. Antibody: Affinity purified rabbit anti-BLAP75 used at a dilution of 1:200 (1ug/ml). Detection: DAB



Western Blot: BLAP75 Antibody [NB100-1720] - Samples: Whole cell lysate (5, 15 and 50 mcg for WB; 1 mg for IP, 20% of IP loaded) from HeLa cells. Affinity purified rabbit anti-BLAP75 antibody NB100-1720 used for WB at 0.04 mcg/ml (A) and 1 mcg/ml (B) and used for IP at 3 mcg/mg lysate (B).



Publications

Loe, T K, Li, J S Z Et al. Telomere length heterogeneity in ALT cells is maintained by PML-dependent localization of the BTR complex to telomeres. *Genes Dev* 2020-05-01 [PMID: 32217664] (Chemotaxis, Human)

Shorrocks AK, Jones SE, Tsukada K, et al. The Bloom syndrome complex senses RPA-coated single-stranded DNA to restart stalled replication forks *Nature communications* 2021-01-26 [PMID: 33500419] (WB)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA

Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
novus@novusbio.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada

Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: technical@novusbio.com
Orders: orders@novusbio.com
General: novus@novusbio.com

Products Related to NB100-1720

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
H00080010-P01-10ug	Recombinant Human BLAP75 GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-1720

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

