

Product Datasheet

VAMP-7 Antibody NB100-1790

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-1790

Updated 5/31/2019 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-1790



NB100-1790

VAMP-7 Antibody

| Product Information | |
|---------------------|--|
| Unit Size | 0.1 mg |
| Concentration | 0.5 mg/ml |
| Storage | Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. |
| Clonality | Polyclonal |
| Preservative | 0.02% Sodium Azide |
| Isotype | IgG |
| Purity | Immunogen affinity purified |
| Buffer | Tris (pH 7.3), 0.5% BSA |

| Product Description | |
|---------------------|---|
| Host | Goat |
| Gene ID | 6845 |
| Gene Symbol | VAMP7 |
| Species | Human, Mouse, Rat |
| Reactivity Notes | Human, mouse and rat. |
| Immunogen | Synthetic peptide: C-LKHHSENKGLDKV, representing the internal region of the human protein according to NP_005629.1 |
| Notes | Please note, this antibody is considered Innovators Grade. Innovators Grade antibodies are generally unvalidated and require additional characterization for most new species/applications. Novus has made these antibodies available through our Innovators Reward program. Complete an online review with image, detailing your positive or negative results. In return, you receive a discount voucher for 100% of the purchase price of the reviewed product. Please contact us at innovators@novusbio.com for more details. |

| Product Application Details | |
|-----------------------------|---|
| Applications | Peptide ELISA |
| Recommended Dilutions | Peptide ELISA 1:128000 |
| Application Notes | Western Blot: Preliminary experiments gave an approx 48kDa band in Human Lung and Thymus lysates after 1ug/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the band we observe given the calculated size of 24.9kDa according to NP_005629.1. The 48kDa band was successfully blocked by incubation with the immunizing peptide. |





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA

Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
novus@novusbio.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada

Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: technical@novusbio.com
Orders: orders@novusbio.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-1790

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

