## **Product Datasheet**

### TIPRL Antibody NB100-1815

Unit Size: 0.1 ml

Store at 4C. Do not freeze.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-1815

Updated 10/23/2024 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB100-1815



#### NB100-1815


**TIPRL** Antibody

| •                           |  |
|-----------------------------|--|
| Product Information         |  |
| Unit Size                   | 0.1 ml   |
| Concentration               | 0.2 mg/ml  |
| Storage                     | Store at 4C. Do not freeze.  |
| Clonality                   | Polyclonal   |
| Preservative                | 0.09% Sodium Azide   |
| Isotype                     | IgG  |
| Purity                      | Immunogen affinity purified  |
| Buffer                      | TBS and 0.1% BSA   |
| Product Description         |  |
| Host                        | Rabbit   |
| Gene ID                     | 261726   |
| Gene Symbol                 | TIPRL  |
| Species                     | Human, Mouse   |
| Immunogen                   | The immunogen recognized by this antibody maps to a region between residue 225 and the C-terminus (residue 272) of human TIP41, TOR-signaling Pathway Regulator-like using the numbering given in entry NP_690866.1 (GeneID 261726). |
| Product Application Details |  |
| Applications                | Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation   |
| Recommended Dilutions       | Western Blot 1:2000-1:10000, Immunohistochemistry 1:100 - 1:500,<br>Immunoprecipitation 2-5 ug/mg lysate, Immunohistochemistry-Paraffin 1:100 -<br>1:500   |
| Application Notes           | Epitope retrieval with Tris-EDTA pH9.0 is recommended for FFPE tissue sections.  |
|                             |  |




#### Images

Western Blot: TIPRL Antibody [NB100-1815] - WB and IP: Tip41 Antibody NB100-1815 -Detection of Human and Mouse Tip41 on HeLa whole cell lysate using NB100-1815. Efficiency of IP of Tip41 was much less when using NB100-1814 or another Tip41 antibody raised against a different epitope.



Immunohistochemistry-Paraffin: TIPRL Antibody [NB100-1815] - Sample: FFPE section of human ovarian carcinoma. Antibody: Affinity purified rabbit anti- Tip41 used at a dilution of 1:200 (1ug/ml). Detection: DAB







#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NB100-1815

| NBL1-16934 | TIPRL Overexpression Lysate                         |
|------------|---|
| HAF008     | Goat anti-Rabbit IgG Secondary Antibody [HRP]       |
| NB7160     | Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP] |
| NBP2-24891 | Rabbit IgG Isotype Control                          |

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-1815

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

