

Product Datasheet

Rad9 Antibody - BSA Free NB100-193

Unit Size: 0.05 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 3

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-193

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-193



NB100-193

Rad9 Antibody - BSA Free

Product Information

Unit Size	0.05 ml
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.1% Sodium Azide
Isotype	IgG
Purity	Protein G purified
Buffer	Tris-Glycine and 0.15M NaCl

Product Description


Description	Novus Biologicals Rabbit Rad9 Antibody - BSA Free (NB100-193) is a polyclonal antibody validated for use in WB and ICC/IF. Anti-Rad9 Antibody: Cited in 3 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	5883
Gene Symbol	RAD9A
Species	Human
Immunogen	Fusion protein of full length human Rad9 protein. [UniProt# Q99638]

Product Application Details

Applications	Western Blot, Immunocytochemistry/ Immunofluorescence
Recommended Dilutions	Western Blot 1:100, Immunocytochemistry/ Immunofluorescence 1:500
Application Notes	This Rad9 antibody is useful for Western blot and Immunocytochemistry/Immunofluorescence. By Western blot a band is seen at approximately 42 kDa, however multiple bands may be seen between ~40-60 kDa, depending on phosphorylation of the protein.

Images

Western Blot: Rad9 Antibody [NB100-193] - Analysis of Rad9 on HeLa whole cell extracts using NB100-193.



Publications

Wong R, Lenart N, Hill L et al. Interleukin-1 mediates ischaemic brain injury via distinct actions on endothelial cells and cholinergic neurons. Flow Cytometry Basics for the Non-Expert. 2018-11-09 [PMID: 30453020]

Warmerdam DO, Brinkman EK, Marteijn JA et al. UV-induced G2 checkpoint depends on p38 MAPK and minimal activation of ATR-Chk1 pathway. J Cell Sci 2013-05-01 [PMID: 23447674] (WB, Human)

Medhurst AL, Warmerdam DO, Akerman I et al. ATR and Rad17 collaborate in modulating Rad9 localisation at sites of DNA damage. J Cell Sci 2008-12-01 [PMID: 19020305] (ICC/IF, WB, Human)





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB100-193

NBL1-15123	Rad9 Overexpression Lysate
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-193

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

