Product Datasheet

SMN Antibody (2B1) - BSA Free NB100-1936

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 25

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-1936

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB100-1936



NB100-1936

SMN Antibody (2B1) - BSA Free

Product Information	
Unit Size	0.1 ml
Concentration	1.0 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	2B1
Preservative	0.05% Sodium Azide
Isotype	lgG1
Purity	Protein G purified
Buffer	Tris-Glycine and 0.15M NaCl
Product Description	
Host	Mouse
Gene ID	6606
Gene Symbol	SMN1
Species	Human, Mouse, Rat, Primate, Xenopus, Zebrafish
Reactivity Notes	Zebrafish reactivity reported in scientific literature (PMID: 27273160).
Immunogen	Purified recombinant His6-tagged human SMN protein. [Swiss-Prot# Q16637]
Product Application Details	
Applications	Western Blot, ELISA, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation
Recommended Dilutions	Western Blot 2 ug/ml, Flow Cytometry reported in scientific literature (PMID 30102724), ELISA reported in scientific literature (PMID 23973875), Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1:250, Immunoprecipitation 1:10-1:500, Immunohistochemistry-Paraffin 1:200
Application Notes	This SMN Antibody (2B1) is useful for Immunocytochemistry/Immunofluorescence, Immunohistochemistry on paraffin- embedded sections, Flow Cytometry, Immunoprecipitation, and Western blot where a band can be seen at ~ 35 kDa.

Images

Immunohistochemistry: SMN Antibody (2B1) [NB100-1936] - CBs lose their colocalization with SMN nuclear foci in diabetic mice. Normal and pathological distribution of SMN proteins in sensory neurons. SMN proteins were found throughout the cytoplasm and as nuclear foci in control sensory neurons. SMN nuclear foci localized within CBs (coilin) in controls (upper panels, white arrows), whereas in the diabetic nucleus the numerous CBs were present but lost their colocalization with SMN nuclear foci (lower panels, yellow arrows). Arrowheads indicate sensory neurons magnified in the insets. Scale bars: 20 um, 10 um in insets. Image collected and cropped by CiteAb from the following publication (https://dmm.biologists.org/lookup/doi/10.1242/dmm.028225), licensed under a CC-BY license.





Western Blot: SMN Antibody (2B1) [NB100-1936] - Analysis of SMN expression in 1) HeLa, 2) NTera2, 3) HepG2, 4) MCF7, 5) NIH 3T3, 6) 250> PC12, and 7) COS7 whole cell lysates. 150> 100> 7.5> 50> 37> SMN 25> 15> 10> Immunocytochemistry/Immunofluorescence: SMN Antibody (2B1) [NB100-1936] - HeLa cells were fixed in 4% paraformaldehyde for 10 minutes and permeabilized in 0.5% Triton X-100 in PBS for 5 minutes. The cells were incubated with anti- NB100-1936 at 2 ug/ml overnight at 4C and detected with an anti-mouse Dylight 488 (Green) at a 1:1000 dilution for 60 minutes. Nuclei were counterstained with DAPI (Blue). Cells were imaged using a 100X objective and digitally deconvolved. Immunocytochemistry/Immunofluorescence: SMN Antibody (2B1) H2B Smn [NB100-1936] - scIF of control (f) and etv5b MO (g) cells from pmnx1:eGFP embryos. H2B, GFP and Smn signals are shown in Zprojected confocal sections. GFP+ cells marked by white rectangles are magnified on the right. Scale bars: 10 um for low and 5 um for high magnification. Image collected and cropped by Citeab from the following publication (Transcriptional enhancement of Smn levels in motoneurons g is crucial for proper axon morphology in zebrafish. Sci Rep (2016) stv5b licensed under a CC-BY license. Immunocytochemistry/Immunofluorescence: SMN Antibody (2B1) [NB100-1936] - HeLa cells were fixed in 4% paraformaldehyde for 10 minutes and permeabilized in 0.05% Triton X-100 in PBS for 5 minutes. The cells were incubated with SMN Antibody [2B1] conjugated to Alexa Fluor 488 (NB100-1936AF488) at 5 ug/ml for 1 hour at room temperature. Nuclei were counterstained with DAPI (Blue). Cells were imaged using a 100X objective and digitally deconvolved. Copyright © 2022 Novus Biologicals







SMN (2B1) was detected in immersion fixed U-2 OS human osteosarcoma cell line using Mouse anti-SMN (2B1) Protein G Purified Monoclonal Antibody conjugated to Alexa Fluor® 647 (Catalog # NB100-1936AF647) (light blue) at 5 μ g/mL overnight at 4C. Cells were counterstained with DAPI (dark blue). Cells were imaged using a 100X objective and digitally deconvolved.

Copyright © 2024 Novus Biologicals, a Bio-Techne Brand

An intracellular stain was performed on A431 human skin carcinoma cell line using Mouse anti- SMN (2B1) Protein-G purified Monoclonal Antibody conjugated to Alexa Fluor® 647 (Catalog # NB100-1936AF647, blue histogram) or matched control antibody (orange histogram) at 2.5 μ g/mL for 30 minutes at RT.

Immunocytochemistry/ Immunofluorescence: SMN Antibody (2B1) [NB100-1936] - CWC22 is colocalized with nuclear speckles & upregulated in diabetic DRG sensory neurons. (A) Subcellular distribution of TDP-43 & CWC22 in control DRG sensory neurons. TDP-43 was stained diffusely in the nucleus, excluding SMN foci in sensory neurons. CWC22 consistently colocalized with a marker protein SC35 of nuclear speckles in sensory neurons. No obvious differences in the subcellular localization of CWC22 were identified in diabetic neurons (not shown) compared with controls. Scale bar: 10 μm. (B) qRT-PCR analysis of Cwc22 mRNA expression in diabetic & control mice. Cwc22 expression was upregulated 2.5-fold in diabetic DRGs. *P<0.05, unpaired two-tailed Student's t-test. Data represented as mean±s.e.m. See Cheng et al. (2015) for microarray data indicating rises in Cwc22 expression as reported separately. Image collected & cropped by CiteAb from the following publication

(https://journals.biologists.com/dmm/article/10/3/215/2257/Diabeticpolyneuropathy-sensory-neurons-nuclear), licensed under a CC-BY license. Not internally tested by Novus Biologicals.





Publications

Kawasaki K, Osafune T, Tamehira S, Yano K. Piglets can secrete acidic mammalian chitinase from the pre weaning stage. Scientific reports 2021-08-11 [PMID: 33446704]

AI-Hilal H, Maretina M, Egorova A et al. Quantification of the Number of Nuclear Gems as a Potential Biomarker for Spinal Muscular Atrophy preprints.org 2023-09-25 (IHC, Human)

Wu SH, Lu IC, Yang SM et al. Spinal Irisin Gene Delivery Attenuates Burn Injury-Induced Muscle Atrophy by Promoting Axonal Myelination and Innervation of Neuromuscular Junctions International journal of molecular sciences 2022-12-14 [PMID: 36555538] (WB, Rat)

Stewart LM, Gerner L, Rettel M Et al. CaMKK2 facilitates Golgi-associated vesicle trafficking to sustain cancer cell proliferation Cell death & disease 2021-11-01 [PMID: 34725334]

Nishibe M, Toyoda H, Hiraga SI Et al. Synaptic and Genetic Bases of Impaired Motor Learning Associated with Modified Experience-Dependent Cortical Plasticity in Heterozygous Reeler Mutants Cerebral cortex (New York, N.Y. : 1991) 2021-07-31 [PMID: 34339488] (IF/IHC, Mouse)

Otsuki N, Arakawa R, Kaneko K et al. A new biomarker candidate for spinal muscular atrophy: Identification of a peripheral blood cell population capable of monitoring the level of survival motor neuron protein PLoS ONE. 2018-08-13 [PMID: 30102724] (FLOW, Human)

Details:

Citation using the Alexa Fluor 488 form of this antibody.

Chen HY, Lin YN, Chen WC et al. Urethral proteomic analysis in ovariectomized mice administered 17b-oestradiol replacement therapy. J Obstet Gynaecol. 2017-03-28 [PMID: 28350532] (Mouse)

Kobayashi M, Chandrasekhar A, Cheng C et al. Diabetic polyneuropathy, sensory neurons, nuclear structure and spliceosome alterations: a role for CWC22. Dis Model Mech. 2017-03-01 [PMID: 28250049]

Spiro Z, Koh A, Tay S et al. Transcriptional enhancement of Smn levels in motoneurons is crucial for proper axon morphology in zebrafish. Sci Rep 2016-06-09 [PMID: 27273160] (ICC/IF, Zebrafish)

Details:

This publication used the AF647 conjugated form of this antibody (NB100-1936AF647)

Kassim SH, Jordan J, Schreiter J et al. Systematic identification of novel SLE related autoantibodies responsible for type I IFN production in human plasmacytoid dendritic cells. Cell Immunol. 2013-08-06 [PMID: 23973875] (ELISA, Human)

Yong J, Golembe TJ, Battle DJ, Pellizzoni L, Dreyfuss G. snRNAs contain specific SMN-binding domains that are essential for snRNP assembly. Mol Cell Biol;24(7):2747-56. 2004-04-01 [PMID: 15024064] (IP, WB, Xenopus, Human)

Nelson PT, Hatzigeorgiou AG, Mourelatos Z. miRNP:mRNA association in polyribosomes in a human neuronal cell line. RNA. 2004-03-01 [PMID: 14970384] (WB, Human)

More publications at http://www.novusbio.com/NB100-1936





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NB100-1936

NB800-PC1	HeLa Whole Cell Lysate
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-1936

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

