Product Datasheet

AGPAT6 Antibody NB100-2389SS

Unit Size: 0.025 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-2389

Updated 3/9/2022 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB100-2389



NB100-2389SS

AGPAT6 Antibody


Product Information		
Unit Size	0.025 ml	
Concentration	0.81 mg/ml	
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.	
Clonality	Polyclonal	
Preservative	0.05% Sodium Azide	
Isotype	IgG	
Purity	Immunogen affinity purified	
Buffer	Tris-Glycine and 0.15M NaCl	
Target Molecular Weight	58 kDa	
Product Description		

Product Description		
Host	Rabbit	
Gene ID	137964	
Gene Symbol	AGPAT6	
Species	Human, Mouse, Primate	
Reactivity Notes	Human, monkey and mouse. Predicted to react with bovine, porcine, and rat based on 100% sequence homology.	
Immunogen	A synthetic peptide made to an N-terminal portion of human AGPAT6 (between residues 1-100). [Swiss-Prot Q86UL3]	

Product Application Details	
Applications	Western Blot
Recommended Dilutions	Western Blot 2 ug/ml
Application Notes	This AGPAT6 antibody is useful for Western blot, where a band is seen at ~58 kDa representing AGPAT6 protein. The observed molecular weight of the protein may vary from the listed predicted molecular weight due to post translational modifications, post translation cleavages, relative charges, and other experimental factors.

Images

Western Blot: AGPAT6 Antibody [NB100-2389] - Detection of AGPAT6 in mouse skeletal muscle



Publications

Masuda M, Miyazaki-Anzai S, Keenan AL et al. Saturated phosphatidic acids mediate saturated fatty acid-induced vascular calcification and lipotoxicity. J Clin Invest 2015-10-26 [PMID: 26517697] (WB)





Procedures

Western Blot protocol for AGPAT6 Antibody (NB100-2389)

AGPAT6 Antibody: https://www.novusbio.com/products/agpat6-antibody_nb100-2389 Western Blot Protocol

- 1. Perform SDS-PAGE (4-12%) on samples to be analyzed, loading 40 ug of total protein per lane.
- 2. Transfer proteins to Nitrocellulose according to the instructions provided by the manufacturer of the transfer apparatus.
- 3. Rinse membrane with dH2O and then stain the blot using ponceau S for 1-2 minutes to access the transfer of proteins onto the nitrocellulose membrane. Rinse the blot in water to remove excess stain and mark the lane locations and locations of molecular weight markers using a pencil.
- 4. Rinse the blot in TBS for approximately 5 minutes.
- 5. Block the membrane using 5% non-fat dry milk + 1% BSA in TBS overnight at 4 degrees Celcius.
- 6. Rinse the membrane in dH2O and then wash the membrane in wash buffer [TBS + 0.1% Tween] 3 times for 10 minutes each.
- 7. Dilute the rabbit anti-AGPAT6 primary antibody (NB100-2389) in blocking buffer and incubate 1 hour at RT.
- 8. Rinse the membrane in dH2O and then wash the membrane in wash buffer [TBS + 0.1% Tween] 3 times for 10 minutes each.
- 9. Apply the diluted rabbit-IgG HRP-conjugated secondary antibody in blocking buffer (as per manufacturers instructions) and incubate 1 hour at room temperature.
- 10. Wash the blot in wash buffer [TBS + 0.1% Tween] 3 times for 10 minutes each (this step can be repeated as required to reduce background).
- 11. Apply the detection reagent of choice in accordance with the manufacturers instructions (we used BioFX Super Plus ECL).

Note: Tween-20 can be added to the blocking or antibody diultion buffer at a final concentration of 0.05-0.2%, provided it does not interfere with antibody-antigen binding.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966 novus@novusbio.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: technical@novusbio.com

Orders: orders@novusbio.com General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-2389

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

