Product Datasheet

IP3R3 Antibody NB100-2545

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-2545

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB100-2545



NB100-2545

IP3R3 Antibody

Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA
Product Description	
Description	Please note, this antibody is considered Innovators Grade. Innovators Grade antibodies are generally unvalidated and require additional characterization for most new species/applications. Novus has made these antibodies available through our Innovators Reward program. Complete an online review with image, detailing your positive or negative results. In return, you receive a discount voucher for 100% of the purchase price of the reviewed product. Please contact us at innovators@novusbio.com for more details.
Host	Goat
Gene ID	3710
Gene Symbol	ITPR3
Species	Human, Mouse, Rat, Bovine
Specificity/Sensitivity	No cross-reactivity expected with other types of ITPR
Immunogen	Peptide with sequence C-DKKERPTDEEGFLH corresponding to internal region according to NP_002215.2.
Product Application Details	
Applications	Peptide ELISA
Recommended Dilutions	Peptide ELISA Detection limit 1:128000
Application Notes	WB: Preliminary experiments gave an approx. 60 kDa band in human adipose, colon, duodenum, heart and liver lysates after 1 ug/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the band we observe given the calculated size of 304 kDa band according to NP_002215.1.

Publications

Futatsugi A, Nakamura T, Yamada MK et al. IP3 receptor types 2 and 3 mediate exocrine secretion underlying energy metabolism. Science 2005-09-30 [PMID: 16195467]

The 60 kDa band was successfully blocked by incubation with the immunizing

peptide.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NB100-2545

HAF017	Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
HAF109	Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
NB410-28088-1mg	Goat IgG Isotype Control
NBP1-83101PEP	IP3R3 Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-2545

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com



www.novusbio.com



technical@novusbio.com