## **Product Datasheet**

# CDC2L2 Antibody - BSA Free NB100-496

Unit Size: 100 ul

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-496

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB100-496



## NB100-496


CDC2L2 Antibody - BSA Free

CDC2L2 Antibody - BSA Free	
Product Information	
100 ul	
1.0 mg/ml	
Store at 4C. Do not freeze.	
Polyclonal	
0.09% Sodium Azide	
IgG	
Immunogen affinity purified	
Tris-Citrate/Phosphate (pH 7.0 - 8.0)	
Product Description	
Rabbit	
728642	
CDK11A	
Human	
The immunogen recognized by this antibody maps to a region between residues 730 and the C-terminus (residue 780) of human Cell Division Cycle 2-like 2 using the numbering given in SwissProt entry Q9UQ88 (GeneID 985).	
Product Application Details	
Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation	
Western Blot 1:2000-1:10000, Immunohistochemistry, Immunoprecipitation 2-5 ug/mg lysate, Immunohistochemistry-Paraffin 1:500-1:2000	
Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue sections.	




### **Images**


Western Blot: CDC2L2 Antibody [NB100-496] - Whole cell lysate (15 ug) from HeLa and HEK293T cells prepared using NETN lysis buffer. Antibody: Affinity purified rabbit anti-CDK11 antibody used for WB at 0.1 ug/ml. Detection: Chemiluminescence with an exposure time of 30 seconds.



Immunohistochemistry-Paraffin: CDC2L2 Antibody [NB100-496] - Section of human lung carcinoma. Antibody: Affinity purified rabbit anti-CDK11 (NB100-496). Detection: DAB



Immunoprecipitation: CDC2L2 Antibody [NB100-496] - Detection of human CDK11 by western blot of immunoprecipitates. Samples: Whole cell lysate (1.0 mg per IP reaction; 20% of IP loaded) from HeLa cells prepared using NETN lysis buffer. Antibodies: Affinity purified rabbit anti-CDK11 antibody NB100-496 (lot NB100-496-3) used for IP at 3 ug per reaction. CDK11 was also immunoprecipitated by a previous lot of this antibody (lot NB100-496-2). For blotting immunoprecipitated CDK11, NB100-496 was used at 1 ug/ml. Detection: Chemiluminescence with an exposure time of 10 seconds.





### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NB100-496**

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP1-85726PEP CDC2L2 Recombinant Protein Antigen

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-496

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

