Product Datasheet

Semaphorin 3E Antibody NB100-55417

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-55417

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB100-55417




NB100-55417

Semaphorin 3E Antibody

Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA
Product Description	
Host	Goat
Gene ID	9723
Gene Symbol	SEMA3E
Species	Human
Specificity/Sensitivity	This antibody is expected to recognise both reported isoforms (NP_036563.1; NP_001171600.1).
Immunogen	Peptide with sequence C-NGGRYGTTKDYPDD corresponding to internal region according to NP_036563.1, NP_001171600.1.
Product Application Details	
Applications	Immunohistochemistry, Immunohistochemistry-Paraffin, Peptide ELISA
Recommended Dilutions	Immunohistochemistry 4 - 6 ug/ml, Immunohistochemistry-Paraffin 1:200, Peptide ELISA Detection limit 1:128000
Application Notes	WB: Preliminary experiments gave an approx. 35 kDa band in human prostate lysates after 0.03 ug/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the band we observe given the calculated size of 89.2 kDa band according to NP_036563.1. The 35 kDa band was successfully blocked by incubation with the immunizing peptide. IHC-P: Human prostate shows membranous staining of secretory cells in the gland.

Images

Immunohistochemistry-Paraffin: Semaphorin 3E Antibody [NB100-55417] - Staining of paraffin embedded Human Prostate. Steamed antigen retrieval with citrate buffer pH 6, HRP-staining.





Publications

Gu C, Yoshida Y, Livet J et al. Semaphorin 3E and plexin-D1 control vascular pattern independently of neuropilins. Science 2005-01-14 [PMID: 15550623]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB100-55417

HAF017 Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

HAF109 Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

NB410-28088-1mg Goat IgG Isotype Control

NBP2-55853PEP Semaphorin 3E Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-55417

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



