# **Product Datasheet**

# BFAR Antibody NB100-56093

Unit Size: 0.05 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-56093

Updated 4/21/2024 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB100-56093



## NB100-56093


**BFAR Antibody** 

DI / II / II II DOGY	
Product Information	
Unit Size	0.05 ml
Concentration	This product is unpurified. The exact concentration of antibody is not quantifiable.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Unpurified
Buffer	Whole antisera
Product Description	
Host	Rabbit
Gene ID	51283
Gene Symbol	BFAR
Species	Human
Immunogen	A synthetic peptide corresponding to amino acids 3-21 (EPQKSYVNTMDLERDEPLK) of human BAR was used as immunogen; GenBank no. NP_057645.1. Human BAR is a 450 amino acid protein.
Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation
Recommended Dilutions	Western Blot 1:1000-1:2000, Immunohistochemistry, Immunoprecipitation 1:50-1:200, Immunohistochemistry-Paraffin 1:1000-1:5000
1	




#### **Images**


Western Blot: BFAR Antibody [NB100-56093] - Analysis of BAR in normal prostate and prostate carcinoma tissue lysates. 25 ug protein was loaded per lane. Tissue lysates from 15 different prostate carcinoma patients show variable expression of BAR with respect to banding patterns and amount of BAR expression. Major BAR bands typically migrate as a single band or as a doublet. These bands are typically observed at ~50-54 kDa. This is higher than the predicted molecular weight from the 450 amino acid BAR sequence, and may represent phosphorylation or other post-translational modifications. N = tissue lysate from normal prostate.



Immunohistochemistry-Paraffin: BFAR Antibody [NB100-56093] - Formalin-fixed, paraffin-embedded human prostate carcinoma tissue array stained for BAR expression using this antibody at 1:2000. Hematoxylin-eosin counterstain. Variable BAR expression is seen between patient samples.



Immunohistochemistry-Paraffin: BFAR Antibody [NB100-56093] - Formalin-fixed, paraffin-embedded tissue sections stained for BAR expression using this antibody at 1:2000. A. Two cores from a human gliobastoma tissue microarray: 1 = fibrillary astrocytoma (grade I), and 2 = anaplastic glioma (grade III). B. Higher magnification from the fibrillary astrocytoma (shown in A). C. Higher magnification from the anaplastic glioma (shown in A). D. Normal human brain striatum with positive medium spiny neurons, the major neuronal cell type of the striatum. Hematoxylin-eosin counterstain.





### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NB100-56093**

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NB100-56093PEP BFAR Antibody Blocking Peptide

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-56093

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

