

Product Datasheet

Caspase-14 Antibody NB100-56126

Unit Size: 0.05 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 6


Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-56126

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-56126




NB100-56126**Caspase-14 Antibody**

Product Information	
Unit Size	0.05 ml
Concentration	This product is unpurified. The exact concentration of antibody is not quantifiable.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Unpurified
Buffer	Neat whole antisera
Product Description	
Host	Rabbit
Gene ID	23581
Gene Symbol	CASP14
Species	Human, Mouse, Rat, Canine, Gerbil
Specificity/Sensitivity	This polyclonal antibody recognizes the proform of caspase-14 (~28-32 kDa), and the large (~14-21 kDa) and small (~10-11 kDa) of active/cleaved caspase-14.
Immunogen	Recombinant full-length human Caspase-14 was used as immunogen.
Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation
Recommended Dilutions	Western Blot 1:1000-1:2000, Immunohistochemistry, Immunoprecipitation 1:50-1:200, Immunohistochemistry-Paraffin 1:1000-1:5000




Images


Western Blot: Caspase-14 Antibody [NB100-56126] - Analysis of Caspase-14. Tissue lysates (50 ug/lane) and recombinant human Caspase-14 were (Hu C14, 15 ng) were western blotted with Caspase-14 antibody at 1:2000. The antibody detected both the proform of caspase-14, and the large and small subunits of active/cleaved caspase-14.




Immunohistochemistry: Caspase-14 Antibody [NB100-56126] - Tissue sections of mouse skin at E17 stained using this antibody at 1:500.



Immunohistochemistry-Paraffin: Caspase-14 Antibody [NB100-56126] - Human ovarian cancer tissue microarray stained for Caspase-14 expression using this antibody at 1:2000. Low (A) and high (B) stage ovarian tumor tissue cores. High magnification from areas of the tissue cores (A1 and B1). Decreased Caspase-14 expression was seen in the high grade, compared to the low grade tumor. Hematoxylin-eosin counterstain.



Immunohistochemistry-Paraffin: Caspase-14 Antibody [NB100-56126] - Tissue sections of human cervix stained using this antibody at 1:2000. A. Normal cervix (squamous epithelium). B. CIN1 (low-grade squamous intraepithelial lesion, mild dysplasia). C. CIN2 (high-grade squamous intraepithelial lesion, moderate dysplasia). D. CIN3 (high-grade squamous intraepithelial lesion; severe dysplasia-carcinoma in situ). In normal cervix, caspase-14 staining was found most in the midzone layer, but was absent from the basal/parabasal cell layer where mitotically active cells are known to reside. This suggests induction of caspase-14 expression with differentiation. Caspase-14 expression declined progressively during malignant transformation as the histologic severity of the cervical atypia advanced from CIN1 to CIN3. Hematoxylin-eosin counterstain.



Publications

Burger C, Shirsath N et al. Blocking mTOR Signalling with Rapamycin Ameliorates Imiquimod-induced Psoriasis in Mice. *Acta Derm Venereol* 2017-02-10 [PMID: 28597024] (IF/IHC, Mouse)

Chamcheu JC, Adhami VM, Esnault S et al. Dual inhibition of PI3K/Akt and mTOR by the Dietary Antioxidant Delphinidin Ameliorates Psoriatic Features In-vitro and in an Imiquimod-induced Psoriasis-like Disease in Mice *Antioxid. Redox Signal.* 2016-07-08 [PMID: 27393705] (IF/IHC, Human)

Arai M, Matsuzaki T, Ihara S. Wound Closure on the Neonatal Rat Skin I. The Modulation of the Thickness of Epidermis at the Closing Incisional Wounds. *CellBio* 2013-01-01 (IF/IHC, Rat)

Murakami H, Okamura K, Aoki S et al. Association of caspase-14 and filaggrin expression with keratinization of the oral mucosa and reconstruction culture rat models. *J Periodontal Res* 2013-12-11 [PMID: 24329962] (IF/IHC, Rat)

Krajewska M, Kim H, Shin E et al. Tumor-associated alterations in caspase-14 expression in epithelial malignancies. *Clin Cancer Res.* 2005-08-01 [PMID: 16061862] (WB, IHC-P)

Details:

WB: Fig 1C (recombinant human and mouse caspase-14 protein) and Fig 1D (various normal human tissues and tumor cell lines); IHC (paraffin), Fig 2 (continuum from human uterine normal to malignant cervix), Fig 3A (human gastric cancer), Fig 4 (human ovaria)

Krajewska M, Rosenthal RE, Mikolajczyk J et al. Early processing of Bid and caspase-6, -8, -10, -14 in the canine brain during cardiac arrest and resuscitation. *Exp Neurol.* 2004-10-01 [PMID: 15380478]

Details:

Antibodies cited: 1. Caspase-9 (Active/Cleaved), IMG-5705: WB: Fig 1A (recombinant human caspase-9), Fig 4A (recombinant human caspase-9, rat brain), Fig 4B-F (isolated mitochondria from rat liver or heart). Fig 5 (PC12 cells) IHC (P): Fig 2d-k (rat kidney)





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB100-56126

NB820-59177	Human Brain Whole Tissue Lysate (Adult Whole Normal)
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-56126

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

