Product Datasheet

Smad2 Antibody - BSA Free NB100-56462

Unit Size: 0.1 mg

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Publications: 4

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-56462

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB100-56462



NB100-56462

Smad2 Antibody - BSA Free


Product Information	
Unit Size	0.1 mg
Concentration	1.0 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein G purified
Buffer	PBS
	· ·

Product Description	
Host	Rabbit
Gene ID	4087
Gene Symbol	SMAD2
Species	Human, Mouse, Rat, Chicken
Immunogen	Amino acids 234-249 (DQQLNQSMDTGSPAEL) of human SMAD2 protein was used as the immunogen.


Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
	Western Blot 2-4 ug/ml, Immunohistochemistry, Immunohistochemistry-Paraffin 5 ug/ml

Images

Western Blot: Smad2 Antibody [NB100-56462] - Lysate from rat muscle in the 1) absence and 2) presence of immunizing peptide probed with this antibody at 3 ug/ml.



Immunohistochemistry-Paraffin: Smad2 Antibody [NB100-56462] - Mouse testis tissue probed with this antibody at 5 ug/ml.





Publications

Wu X, Wang H, Chen H et al. Overexpression of smad7 inhibits the TGF-beta/Smad signaling pathway and EMT in NPHP1-defective MDCK cells Biochem Biophys Res Commun 2021-12-10 [PMID: 34689106] (ICC/IF, WB, Canine)

Pennarossa G, Manzoni EFM, Ledda S et al. Use of a PTFE Micro-Bioreactor to Promote 3D Cell Rearrangement and Maintain High Plasticity in Epigenetically Erased Fibroblasts. Stem Cell Rev. 2018-11-06 [PMID: 30397853] (WB)

Kim Kyung-Hyun, Sung Hyun-Jung, Lee Woo-Ram et al. Effects of Melittin Treatment in Cholangitis and Biliary Fibrosis in a Model of Xenobiotic-Induced Cholestasis in Mice. Toxins 2015-01-01 [PMID: 26308055] (WB, Mouse)

Xu S, Xue C, Li J et al. Marek's disease virus type 1 microRNA miR-M3 suppresses cisplatin-induced apoptosis by targeting Smad2 of the transforming growth factor beta signal pathway. J Virol. 2011-01-01 [PMID: 20962090] (IHC-P, WB, Chicken)

Details:

SMAD2(IMG-5816) WB, IHC-P; Chicken. (FIGs 4, 5, 6, and 7).





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB100-56462

NBL1-16220 Smad2 Overexpression Lysate

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-56462

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

