Product Datasheet

FPR1 Antibody - BSA Free NB100-56473

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 3

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-56473

Updated 4/13/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB100-56473




NB100-56473

| FPR1 Antibody - BSA Free | |
|-----------------------------|---|
| Product Information | |
| Unit Size | 0.1 mg |
| Concentration | 1.0 mg/ml |
| Storage | Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. |
| Clonality | Polyclonal |
| Preservative | 0.02% Sodium Azide |
| Isotype | IgG |
| Purity | Immunogen affinity purified |
| Buffer | PBS |
| Product Description | |
| Host | Rabbit |
| Gene ID | 2357 |
| Gene Symbol | FPR1 |
| Species | Human, Mouse, Primate |
| Immunogen | A synthetic peptide corresponding to amino acids 176-190 of human FPR1 (CTFNFSPWTNDPKER) was used as the immunogen |
| Product Application Details | |
| Applications | Western Blot, Simple Western |
| Recommended Dilutions | Western Blot, Simple Western 100 ug/ml |
| Application Notes | In Simple Western only 10 - 15 uL of the recommended dilution is used per data point. See <u>Simple Western Antibody Database</u> for Simple Western validation: Tested in Mouse Liver lysate 0.5 mg/mL, separated by Size, antibody dilution of 100 ug/mL |



Images

Western Blot: FPR1 Antibody [NB100-56473] - Analysis of FPR1 in the 1) absence and 2) presence of immunizing peptide in human liver lysate using this antibody at 1 ug/ml.



Simple Western: FPR1 Antibody [NB100-56473] - Shows a specific band for FPR1 in 0.5 mg/ml of Mouse Liver lysate. This experiment was performed under reducing conditions using the 12-230 kDa separation system. *Non-specific interaction with the 230 kDa standard may be seen with this antibody.



Publications

YE Kim, SY Ahn, DK Sung, YS Chang, WS Park Mesenchymal Stem Cells and Formyl Peptide Receptor 2 Activity in Hyperoxia-Induced Lung Injury in Newborn Mice International Journal of Molecular Sciences, 2022-09-13;23(18):. 2022-09-13 [PMID: 36142517]

Roy R, Zayas J, Singh SK et al. Overriding impaired FPR chemotaxis signaling in diabetic neutrophil stimulates infection control in murine diabetic wound eLife 2022-02-03 [PMID: 35112667] (WB)

Zayas JP Molecular Dissection of Impaired Infection Control in Diabetic Wound Thesis 2020-01-01





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB100-56473

NB820-59232 Human Liver Whole Tissue Lysate (Adult Whole Normal)

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-56473

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

