Product Datasheet

p63/TP73L Antibody (87C553) NB100-56549

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-56549

Updated 5/20/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB100-56549



NB100-56549

n63/TP73L Antibody (87C553)

0.1 mg	
0.5 mg/ml	
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Monoclonal	
87C553	
0.05% Sodium Azide	
IgG1	
Protein G purified	
PBS and 0.05% BSA	
Product Description	
This Product is Only Available For Sale Outside of USA. Optimal dilution of this antibody should be experimentally determined.	
Mouse	
8626	
TP63	
Human	
The p63 was developed against a peptide sequence that is 100% conserved between the alpha, beta, gamma, and delta isoforms of p63.	
This antibody was developed against a synthetic peptide corresponding to human p63. This peptide immunogen sequence corresponds to: (1) Amino acids 67-84 of p63 alpha (AAG45607.1); (2) Amino acids 28-45 of p63 beta (AAC62637.1); (3) Amino acids 28-45 of p63 gamma (AAC62633.1) and (4) Amino acids 28-45 of p63 delta (AAF43489.1). CSVQPIDLNFVDEPSEDG	
This Product is Only Available For Sale Outside of USA. Optimal dilution of this antibody should be experimentally determined.	
Product Application Details	
Western Blot	

Product Application Details	
Applications	Western Blot
Recommended Dilutions	Western Blot 1:100-1:167



Images

Western Blot: TP63 Antibody (87C553) [NB100-56549] - analysis of p63 MW 1 2 (kDa) in mouse 1) placenta and 2) thymus using antibody at 3 ug/ml. 200 116 97 66 **←**p63 29 18.4 14 MW (kDa) 200 -Western Blot: TP63 Antibody (87C553) [NB100-56549] - analysis of p63 in A549 lysate using p63 antibody at 3 ug/ml. 66 p63 55 -36-31 -

Publications

Terrasson J, Xu B, Li M et al. Activities of Z-ajoene against tumour and viral spreading in vitro. Fundam Clin Pharmacol. 2007-06-01 [PMID: 17521297] (WB)

Details:

p63 (IMG-348). WB: Jurkat cell line treated with increasing concentrations of Z-ajoene, Fig 2.

21 — 14 — 6 —



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB100-56549

NB800-PC2 Jurkat Whole Cell Lysate

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-56549

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

