Product Datasheet

RBM27 Antibody - BSA Free NB100-60426

Unit Size: 100 ul

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-60426

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB100-60426



NB100-60426


RBM27 Antibody - BSA Free

RBIVIZ7 ANIIDOGY - BSA Free	
Product Information	
100 ul	
1.0 mg/ml	
Store at 4C. Do not freeze.	
Polyclonal	
0.09% Sodium Azide	
IgG	
Immunogen affinity purified	
Tris-Citrate/Phosphate (pH 7.0 - 8.0)	
Product Description	
Rabbit	
54439	
RBM27	
Human, Mouse	
The immunogen recognized by this antibody maps to a region between residue 700 and 750 of human RNA binding motif protein 27 using the numbering given in entry Q9P2N5.2 (GeneID 54439).	
Product Application Details	
Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation	
Western Blot 1:2000-1:10000, Immunohistochemistry 1:500 - 1:2000, Immunoprecipitation 2-5 ug/mg lysate, Immunohistochemistry-Paraffin 1:100-1:500	
Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue sections.	




Images


Western Blot: RBM27 Antibody [NB100-60426] - Detection of Human and Mouse RBM27 by Western Blot. Samples: Whole cell lysate (50 ug) from HeLa, 293T, Jurkat, mouse TCMK-1, and mouse NIH3T3 cells. Antibodies: Affinity purified rabbit anti-RBM27 antibody NB100-60426 used for WB at 0.1 ug/ml. Detection: Chemiluminescence with an exposure time of 3 minutes.




Immunohistochemistry: RBM27 Antibody [NB100-60426] - Sample: FFPE section of human breast carcinoma. Antibody: Affinity purified rabbit anti- RBM27 used at a dilution of 1:1,000 (1ug/ml). Detection: DAB



Western Blot: RBM27 Antibody [NB100-60426] - Detection of Human RBM27 on HeLa whole cell lysate using NB100-60426. RBM27 was also immunoprecipitated by rabbit anti-RBM27 antibody NB100-60427.



Immunoprecipitation: RBM27 Antibody [NB100-60426] - Detection of human RBM27 by western blot of immunoprecipitates. Samples: Whole cell lysate (0.5 or 1.0 mg per IP reaction; 20% of IP loaded) from HeLa cells. Antibodies: Affinity purified rabbit anti-RBM27 antibody NB100-60426 used for IP at 6 ug per reaction. RBM27 was also immunoprecipitated by another rabbit anti-RBM27 antibody. For blotting immunoprecipitated RBM27, NB100-60426 was used at 1 ug/ml. Detection: Chemiluminescence with an exposure time of 3 minutes.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB100-60426

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP1-90818PEP RBM27 Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-60426

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

