

Product Datasheet

PGC1 alpha Antibody NB100-60955

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 1 Publications: 9

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-60955

Updated 10/23/2024 v.20.1

**Earn rewards for product
reviews and publications.**

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-60955



NB100-60955

PGC1 alpha Antibody


Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA
Target Molecular Weight	91 kDa

Product Description	
Host	Goat
Gene ID	10891
Gene Symbol	PPARGC1A
Species	Human, Mouse
Reactivity Notes	Mouse reactivity reported in scientific literature (PMID: 29020797).
Immunogen	Peptide with sequence C-DGLFDDSEDESDK, from the internal region of the protein sequence according to NP_037393.1; NP_001317680.1; NP_001317681.1; NP_001317682.1; NP_001341756.1.


Product Application Details	
Applications	Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Peptide ELISA
Recommended Dilutions	Flow Cytometry 10 ug/mL, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 10 ug/uL, Immunohistochemistry-Paraffin 6-8 ug/ml, Peptide ELISA Detection limit 1:2000
Application Notes	Use in IHC-P reported in scientific literature (PMID: 23763823). Use in IHC reported in scientific literature (PMID: 22227854).

Images


Flow Cytometry: PGC1 alpha Antibody [NB100-60955] - Flow cytometric analysis of paraformaldehyde fixed HeLa cells (blue line), permeabilized with 0.5% Triton. Primary incubation 1hr (10ug/ml) followed by Alexa Fluor 488 secondary antibody (1ug/ml). IgG control: Unimmunized goat IgG (black line) followed by Alexa Fluor 488 secondary antibody.




Immunohistochemistry-Paraffin: PGC1 alpha Antibody [NB100-60955] - Negative Control showing staining of paraffin embedded Human Kidney, with no primary antibody.




Immunocytochemistry/Immunofluorescence: PGC1 alpha Antibody [NB100-60955] - Immunofluorescence analysis of paraformaldehyde fixed U2OS cells, permeabilized with 0.15% Triton. Primary incubation 1hr (10ug/ml) followed by Alexa Fluor 488 secondary antibody (2ug/ml), showing nuclear and cytoplasmic staining. The nuclear stain is DAPI (blue). Negative control: Unimmunized goat IgG (10ug/ml) followed by Alexa Fluor 488 secondary antibody (2ug/ml).



Immunocytochemistry/Immunofluorescence: PGC1 alpha Antibody [NB100-60955] - Immunofluorescence analysis of paraformaldehyde fixed HeLa cells, permeabilized with 0.15% Triton. Primary incubation 1hr (10ug/ml) followed by Alexa Fluor 488 secondary antibody (2ug/ml), showing nuclear and cytoplasmic staining. The nuclear stain is DAPI (blue). Negative control: Unimmunized goat IgG (10ug/ml) followed by Alexa Fluor 488 secondary antibody (2ug/ml).



Immunohistochemistry-Paraffin: PGC1 alpha Antibody [NB100-60955] - (6ug/ml) staining of paraffin embedded Human Kidney. Heat induced antigen retrieval with citrate buffer pH 6, HRP-staining.



Publications

Wenting You, Kèvin Knoops, Tos T. J. M. Berendschot, Birke J. Benedikter, Carroll A. B. Webers, Chris P. M. Reutelingsperger, Theo G. M. F. Gorgels PGC-1a mediated mitochondrial biogenesis promotes recovery and survival of neuronal cells from cellular degeneration *Cell Death Discovery* 2024-04-17 [PMID: 38632223]

Park C, LIM J, Kim Y et al. Targeting Bone Marrow Lipid Metabolism with Adiponectin Receptor Agonist for Diabetic and Postmenopausal Osteoporosis *Research Square* 2023-09-27 (Western Blot, Mouse)

Cho Jh, Lee S, Jeon H et Al. Tetrabromobisphenol A-Induced Apoptosis in Neural Stem Cells Through Oxidative Stress and Mitochondrial Dysfunction *Neurotox Res* 2020-02-27 [PMID: 32108298]

Zhang W, Zhong W, Sun Q et al. Adipose-specific lipin1 overexpression in mice protects against alcohol-induced liver injury. *Sci Rep* 2018-01-11 [PMID: 29323242] (WB, Mouse)

Hong YA, Lim JH, Kim MY et al. Extracellular Superoxide Dismutase Attenuates Renal Oxidative Stress through the Activation of AMPK in Diabetic Nephropathy. *Antioxid. Redox Signal.* 2017-10-12 [PMID: 29020797] (Mouse)

Handschin C, Kobayashi YM, Chin S et al. PGC-1alpha regulates the neuromuscular junction program and ameliorates Duchenne muscular dystrophy. *Genes Dev* 2007-04-01 [PMID: 17403779]

Camacho A, Huang JK, Delint-Ramirez I et al. Peroxisome proliferator-activated receptor gamma-coactivator-1 alpha coordinates sphingolipid metabolism, lipid raft composition and myelin protein synthesis. *Eur J Neurosci* 2013-06-14 [PMID: 23763823] (IHC-P, Mouse)

Wang B, Hsu S, Frankel W, Ghoshal K, Jacob ST. Stat3-mediated activation of miR-23a suppresses gluconeogenesis in hepatocellular carcinoma by downregulating G6PC and PGC-1?. *Hepatology*. doi: 10.1002/hep.25632. 2012-02-09 [PMID: 22318941]

Yuan Y, Guo-Qing P, Yan T, Hong-Lin Y, Gong-Hua H, Cai-Gao Z. A study of PKM2, PFK-1, and ANT1 expressions in cervical biopsy tissues in China. *Med Oncol*. 2012-01-08 [PMID: 22227854] (IF/IHC, WB, Human)





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB100-60955

HAF017	Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
HAF109	Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
NB410-28088-1mg	Goat IgG Isotype Control
H00010891-Q01-10ug	Recombinant Human PGC1 alpha GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-60955

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications



