Product Datasheet

FKBP52/FKBP4 Antibody NB100-68237

Unit Size: 0.1 ml

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-68237

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB100-68237



NB100-68237


FKBP52/FKBP4 Antibody

Unit Size 0.1 ml Concentration 0.2 mg/ml Storage Store at 4C. Do not freeze. Clonality Polyclonal Preservative 0.09% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer TBS and 0.1% BSA Product Description Host Rabbit Gene ID 2288 Gene Symbol FKBP4 Species Human Immunogen The immunogen recognized by this antibody maps to a region between residue 400 and 440 human FK506 binding protein 4 using the numbering given in entry NP_002005.1 (GeneID 2288). Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation Recommended Dilutions Western Blot 1:2000-1:10000, Immunohistochemistry 1:10-1:500, Immunoprecipitation 2-5 ug/mg lysate, Immunohistochemistry-Paraffin 1:10-1:500		
Concentration 0.2 mg/ml Storage Store at 4C. Do not freeze. Clonality Polyclonal Preservative 0.09% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer TBS and 0.1% BSA Product Description Host Rabbit Gene ID 2288 Gene Symbol FKBP4 Species Human Immunogen The immunogen recognized by this antibody maps to a region between residue 400 and 440 human FK506 binding protein 4 using the numbering given in entry NP_002005.1 (GeneID 2288). Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation Recommended Dilutions Western Blot 1:2000-1:10000, Immunopristochemistry 1:10-1:500, Immunoprecipitation 2-5 ug/mg lysate, Immunohistochemistry-Paraffin 1:10-1:500 Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Product Information	
Storage Store at 4C. Do not freeze. Clonality Polyclonal Preservative 0.09% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer TBS and 0.1% BSA Product Description Host Rabbit Gene ID 2288 Gene Symbol FKBP4 Species Human Immunogen The immunogen recognized by this antibody maps to a region between residue 400 and 440 human FK506 binding protein 4 using the numbering given in entry NP_002005.1 (GeneID 2288). Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation Recommended Dilutions Western Blot 1:2000-1:10000, Immunohistochemistry 1:10-1:500, Immunoprecipitation 2-5 ug/mg lysate, Immunohistochemistry-Paraffin 1:10-1:500 Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Unit Size	0.1 ml
Clonality Polyclonal Preservative 0.09% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer TBS and 0.1% BSA Product Description Host Rabbit Gene ID 2288 Gene Symbol FKBP4 Species Human Immunogen The immunogen recognized by this antibody maps to a region between residue 400 and 440 human FK506 binding protein 4 using the numbering given in entry NP_002005.1 (GeneID 2288). Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation Recommended Dilutions Usern Blot 1:2000-1:10000, Immunohistochemistry 1:10-1:500, Immunoprecipitation 2-5 ug/mg lysate, Immunohistochemistry-Paraffin 1:10-1:500 Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Concentration	0.2 mg/ml
Preservative Isotype IgG Purity Immunogen affinity purified Buffer TBS and 0.1% BSA Product Description Host Gene ID 2288 Gene Symbol FKBP4 Species Immunogen The immunogen recognized by this antibody maps to a region between residue 400 and 440 human FK506 binding protein 4 using the numbering given in entry NP_002005.1 (GeneID 2288). Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation Recommended Dilutions Western Blot 1:2000-1:10000, Immunohistochemistry 1:10-1:500, Immunoprecipitation 2-5 ug/mg lysate, Immunohistochemistry-Paraffin 1:10-1:500 Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Storage	Store at 4C. Do not freeze.
Isotype Purity Immunogen affinity purified Buffer TBS and 0.1% BSA Product Description Host Rabbit Gene ID 2288 Gene Symbol FKBP4 Species Human Immunogen The immunogen recognized by this antibody maps to a region between residue 400 and 440 human FK506 binding protein 4 using the numbering given in entry NP_002005.1 (GeneID 2288). Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation Recommended Dilutions Western Blot 1:2000-1:10000, Immunohistochemistry 1:10-1:500, Immunoprecipitation 2-5 ug/mg lysate, Immunohistochemistry-Paraffin 1:10-1:500 Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Clonality	Polyclonal
Purity Immunogen affinity purified Buffer TBS and 0.1% BSA Product Description Host Rabbit Gene ID 2288 Gene Symbol FKBP4 Species Human Immunogen The immunogen recognized by this antibody maps to a region between residue 400 and 440 human FK506 binding protein 4 using the numbering given in entry NP_002005.1 (GeneID 2288). Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation Recommended Dilutions Western Blot 1:2000-1:10000, Immunohistochemistry 1:10-1:500, Immunoprecipitation 2-5 ug/mg lysate, Immunohistochemistry-Paraffin 1:10-1:500 Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Preservative	0.09% Sodium Azide
Buffer TBS and 0.1% BSA Product Description Host Rabbit Gene ID 2288 Gene Symbol FKBP4 Species Human The immunogen recognized by this antibody maps to a region between residue 400 and 440 human FK506 binding protein 4 using the numbering given in entry NP_002005.1 (GeneID 2288). Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation Recommended Dilutions Western Blot 1:2000-1:10000, Immunohistochemistry 1:10-1:500, Immunoprecipitation 2-5 ug/mg lysate, Immunohistochemistry-Paraffin 1:10-1:500 Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Isotype	IgG
Product Description Host Rabbit Gene ID 2288 Gene Symbol FKBP4 Species Human Immunogen The immunogen recognized by this antibody maps to a region between residue 400 and 440 human FK506 binding protein 4 using the numbering given in entry NP_002005.1 (GeneID 2288). Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation Recommended Dilutions Western Blot 1:2000-1:10000, Immunohistochemistry 1:10-1:500, Immunoprecipitation 2-5 ug/mg lysate, Immunohistochemistry-Paraffin 1:10-1:500 Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Purity	Immunogen affinity purified
Host Rabbit Gene ID 2288 Gene Symbol FKBP4 Species Human Immunogen The immunogen recognized by this antibody maps to a region between residue 400 and 440 human FK506 binding protein 4 using the numbering given in entry NP_002005.1 (GeneID 2288). Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation Recommended Dilutions Western Blot 1:2000-1:10000, Immunohistochemistry 1:10-1:500, Immunoprecipitation 2-5 ug/mg lysate, Immunohistochemistry-Paraffin 1:10-1:500 Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Buffer	TBS and 0.1% BSA
Gene ID 2288 Gene Symbol FKBP4 Species Human Immunogen The immunogen recognized by this antibody maps to a region between residue 400 and 440 human FK506 binding protein 4 using the numbering given in entry NP_002005.1 (GeneID 2288). Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation Recommended Dilutions Western Blot 1:2000-1:10000, Immunohistochemistry 1:10-1:500, Immunoprecipitation 2-5 ug/mg lysate, Immunohistochemistry-Paraffin 1:10-1:500 Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Product Description	
Gene Symbol FKBP4 Species Human The immunogen recognized by this antibody maps to a region between residue 400 and 440 human FK506 binding protein 4 using the numbering given in entry NP_002005.1 (GeneID 2288). Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation Western Blot 1:2000-1:10000, Immunohistochemistry 1:10-1:500, Immunoprecipitation 2-5 ug/mg lysate, Immunohistochemistry-Paraffin 1:10-1:500 Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Host	Rabbit
Species Human The immunogen recognized by this antibody maps to a region between residue 400 and 440 human FK506 binding protein 4 using the numbering given in entry NP_002005.1 (GeneID 2288). Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation Recommended Dilutions Western Blot 1:2000-1:10000, Immunohistochemistry 1:10-1:500, Immunoprecipitation 2-5 ug/mg lysate, Immunohistochemistry-Paraffin 1:10-1:500 Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Gene ID	2288
Immunogen The immunogen recognized by this antibody maps to a region between residue 400 and 440 human FK506 binding protein 4 using the numbering given in entry NP_002005.1 (GeneID 2288). Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation Recommended Dilutions Western Blot 1:2000-1:10000, Immunohistochemistry 1:10-1:500, Immunoprecipitation 2-5 ug/mg lysate, Immunohistochemistry-Paraffin 1:10-1:500 Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Gene Symbol	FKBP4
400 and 440 human FK506 binding protein 4 using the numbering given in entry NP_002005.1 (GeneID 2288). Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation Recommended Dilutions Western Blot 1:2000-1:10000, Immunohistochemistry 1:10-1:500, Immunoprecipitation 2-5 ug/mg lysate, Immunohistochemistry-Paraffin 1:10-1:500 Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Species	Human
Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation Western Blot 1:2000-1:10000, Immunohistochemistry 1:10-1:500, Immunoprecipitation 2-5 ug/mg lysate, Immunohistochemistry-Paraffin 1:10-1:500 Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Immunogen	400 and 440 human FK506 binding protein 4 using the numbering given in entry
Immunoprecipitation	Product Application Details	
Immunoprecipitation 2-5 ug/mg lysate, Immunohistochemistry-Paraffin 1:10- 1:500 Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Applications	
	Recommended Dilutions	Immunoprecipitation 2-5 ug/mg lysate, Immunohistochemistry-Paraffin 1:10-
	Application Notes	




Images

Western Blot: FKBP52/FKBP4 Antibody [NB100-68237] - Western Blot and Immunoprecipitation: FKBP4/FKBP52 Antibody NB100-68237 - Detection of Human FKBP4/FKBP52 on HeLa whole cell lysate (5, 15, and 50 microgram) and 293T cell lysate (50 microgram) using NB100-68237. FKBP4/FKBP52 was also immunoprecipitated by rabbit anti-FKBP4/FKBP52 antibody NB100-68236 and NB100-68238.



Immunohistochemistry: FKBP52/FKBP4 Antibody [NB100-68237] - Sample: FFPE section of human prostate carcinoma. Antibody: Affinity purified rabbit anti-FKBP4/FKBP52 used at a dilution of 1:1,000 (0.2ug/ml). Detection: DAB



Publications

Rho JH, Lampe PD. High-throughput screening for native autoantigen-autoantibody complexes using antibody microarrays J Proteome Res. 2013-05-03 [PMID: 23541305] (Human)

Details:

A novel method using antibody microarrays is used to detect autoantibody-antigen complexes that can potentially be useful for detection and characterization of diseases.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB100-68237

NBL1-10738 FKBP52/FKBP4 Overexpression Lysate

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-68237

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

