

Product Datasheet

FKBP51/FKBP5 Antibody NB100-68240

Unit Size: 0.1 ml

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Publications: 6

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-68240

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-68240



NB100-68240**FKBP51/FKBP5 Antibody****Product Information**

Unit Size	0.1 ml
Concentration	0.2 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	TBS and 0.1% BSA
Target Molecular Weight	51 kDa

Product Description


Host	Rabbit
Gene ID	2289
Gene Symbol	FKBP5
Species	Human
Reactivity Notes	Orangutan (100%).
Immunogen	The immunogen recognized by this antibody maps to a region between residue 407 and 457 of human FK506 binding protein 5 (51 kDa FK506-binding protein) using the numbering given in entry NP_004108.1 (GeneID 2289).

Product Application Details


Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Knockdown Validated
Recommended Dilutions	Western Blot 1:2000-1:10000, Immunohistochemistry 1:200 - 1:1000, Immunocytochemistry/ Immunofluorescence, Immunoprecipitation 2-5 ug/mg lysate, Immunohistochemistry-Paraffin 1:200 to 1:1000, Knockdown Validated
Application Notes	Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue sections. Use in Immunocytochemistry/immunofluorescence reported in scientific literature (PMID:28978117).

Images


Western Blot: FKBP51/FKBP5 Antibody [NB100-68240] - Normalized expression of TGF- β mRNA in WT, EV-, or FKBP51/FKBP5-stably transfected melanoma cells. WT sample expression 1/4 1. (n 1/4). Western blot assay of TGF- β levels in the same cells. Anti-Flag-labelled exogenous FKBP51/FKBP5. Image collected and cropped by CiteAb from the following publication (<https://www.nature.com/articles/cddis2013109>), licensed under a CC-BY license.




Immunohistochemistry: FKBP51/FKBP5 Antibody [NB100-68240] - Sample: FFPE section of human prostate carcinoma. Antibody: Affinity purified rabbit anti-FKBP5/FKBP51 used at a dilution of 1:1,000 (0.2ug/ml). Detection: DAB




Western Blot: FKBP51/FKBP5 Antibody [NB100-68240] - Western Blot and Immunoprecipitation: FKBP5/FKBP51 Antibody NB100-68240 - Whole cell lysate from HeLa (5, 15 and 50 mcg for WB; 1 mg for IP, 20% of IP loaded) and 293T (T; 50 mcg) cells. NB100-68240 used for WB at 0.04 mcg/ml (A) and 1 mcg/ml (B) and used for IP at 3 mcg/mg lysate. FKBP5/FKBP51 was also immunoprecipitated by rabbit anti-FKBP5/FKBP51 antibody NB100-68239, which recognizes an upstream epitope.




Knockdown Validated: FKBP51/FKBP5 Antibody [NB100-68240] - FKBP51/FKBP5 modulates EMT hallmarks. FKBP51/FKBP5 silencing of SAN melanoma cells decreases TGF- β and T β RIII expression. Normalized expression rates (mean \pm S.D.) of TGF- β mRNA levels; (n 1/4). FKBP51/FKBP5 siRNA-treated sample expression 1/4. 1. Western blot assay of TGF- β in SAN melanoma cells treated with nonsilencing (NS) RNA or FKBP51/FKBP5 siRNA. Image collected and cropped by CiteAb from the following publication (<https://www.nature.com/articles/cddis2013109>), licensed under a CC-BY license./4




Western Blot: FKBP51/FKBP5 Antibody [NB100-68240] - FKBP51 increases expression of melanoma CSC markers. (a) FKBP51 silencing decreases ABCB5 levels. (Left) Normalized expression rates (arbitrary units (AU)) (mean±S.D.) of FKBP51 (black) & ABCB5 mRNA (grey) (n=3). FKBP51-treated sample expression=1. (Right) Western blot assay of ABCB5 & FKBP51 levels. (b) FKBP51 overexpression enhances ABCB5 levels. (Left) Normalized expression of FKBP51 mRNA (black) & ABCB5 mRNA (grey) measured in WT, EV-, or FKBP51-stably transfected melanoma cells. WT sample expression=1; n=3. (Left) Western blot assay of ABCB5 & FKBP51 levels in the same cells. Anti-Flag-labelled exogenous FKBP51. (c) ABCG2+ melanoma cells increase in FKBP51-overexpressing cells. (Upper) Normalized expression of FKBP51 mRNA (black) & ABCG2 mRNA (grey) measured in WT, EV-, or FKBP51-stably transfected melanoma cells. WT sample expression=1; n=5. (Lower) Flow cytometric histograms of ABCG2 expression (green population); mean±S.D. of counts are shown. (d) Enhanced FKBP51 mRNA levels in sorted ABCG2+ melanoma cells (SAN, upper; A375, lower). Whole cell expression=1; (n=3). (e) Enhanced EMT gene transcripts in sorted ABCG2+ melanoma cells. ABCG2- sample expression=1; n=3. (f) Expression of ABCG2 transcript in 9 deparaffinized tumours, 4 primary melanoma (M) samples, & 5 metastases (MM). A naevus sample was arbitrarily chosen with expression=1 Image collected & cropped by CiteAb from the following publication (<https://www.nature.com/articles/cddis2013109>), licensed under a CC-BY license. Not internally tested by Novus Biologicals.



Western Blot: FKBP51/FKBP5 Antibody [NB100-68240] - FKBP51 increases expression of melanoma CSC markers. (a) FKBP51 silencing decreases ABCB5 levels. (Left) Normalized expression rates (arbitrary units (AU)) (mean±S.D.) of FKBP51 (black) & ABCB5 mRNA (grey) (n=3). FKBP51-treated sample expression=1. (Right) Western blot assay of ABCB5 & FKBP51 levels. (b) FKBP51 overexpression enhances ABCB5 levels. (Left) Normalized expression of FKBP51 mRNA (black) & ABCB5 mRNA (grey) measured in WT, EV-, or FKBP51-stably transfected melanoma cells. WT sample expression=1; n=3. (Left) Western blot assay of ABCB5 & FKBP51 levels in the same cells. Anti-Flag-labelled exogenous FKBP51. (c) ABCG2+ melanoma cells increase in FKBP51-overexpressing cells. (Upper) Normalized expression of FKBP51 mRNA (black) & ABCG2 mRNA (grey) measured in WT, EV-, or FKBP51-stably transfected melanoma cells. WT sample expression=1; n=5. (Lower) Flow cytometric histograms of ABCG2 expression (green population); mean±S.D. of counts are shown. (d) Enhanced FKBP51 mRNA levels in sorted ABCG2+ melanoma cells (SAN, upper; A375, lower). Whole cell expression=1; (n=3). (e) Enhanced EMT gene transcripts in sorted ABCG2+ melanoma cells. ABCG2- sample expression=1; n=3. (f) Expression of ABCG2 transcript in 9 deparaffinized tumours, 4 primary melanoma (M) samples, & 5 metastases (MM). A naevus sample was arbitrarily chosen with expression=1 Image collected & cropped by CiteAb from the following publication (<https://www.nature.com/articles/cddis2013109>), licensed under a CC-BY license. Not internally tested by Novus Biologicals.



Western Blot: FKBP51/FKBP5 Antibody [NB100-68240] - FKBP51 interacts with the general transcriptional co-activator p300. (a, left) FKBP51 co-immunoprecipitates with p300. (a, right), p300 co-immunoprecipitates with FKBP51. Total-cell lysates were prepared by SAN melanoma cells transfected with FKBP51/Flag. Cell lysates were immunoprecipitated with anti-Kat3B/p300 (IP p300) or anti-Flag (IP FKBP51). Immunoprecipitated & total lysates were then subjected to western blot with anti-FKBP51 or anti-p300. (b) ChIP performed with SAN melanoma cells, silenced (FKBP51 siRNA) or not (NS RNA) for FKBP51. An enrichment of DNA (region at -3450 from TSS of ABCG2 gene) can be observed in p300-immunoprecipitated chromatin (NS RNA) compared with IgG sample. Such an enrichment appeared to be reduced when FKBP51 was silenced (FKBP51 siRNA) Image collected & cropped by CiteAb from the following publication (<https://www.nature.com/articles/cddis2013109>), licensed under a CC-BY license. Not internally tested by Novus Biologicals.



Publications

Tufano M, Cesaro E, Martinelli R et al. FKBP51 Affects TNF-Related Apoptosis Inducing Ligand Response in Melanoma *Frontiers in Cell and Developmental Biology* 2021-09-13 [PMID: 34589486] (Immunoprecipitation)

Tufano M, Marrone L, D'Ambrosio C et al. FKBP51 plays an essential role in Akt ubiquitination that requires Hsp90 and PHLPP *Cell death & disease* 2023-02-13 [PMID: 36781840] (WB)

D'arrigo Paolo, Russo Michele, Rea Anna et al. A regulatory role for the co-chaperone FKBP51s in PD-L1 expression in glioma. *Oncotarget* 2017-07-17 [PMID: 28978117] (KD, WB, ICC/IF, IP, Human)

Romano S, Xiao Y, Nakaya M et al. FKBP51 employs both scaffold and isomerase functions to promote NF- κ B activation in melanoma. *Nucleic Acids Res.* 2015-06-22 [PMID: 26101251] (IP, WB, Human)

Romano S, D'Angelillo A, Staibano S et al. Immunomodulatory pathways regulate expression of a spliced FKBP51 isoform in lymphocytes of melanoma patients *Pigment Cell Melanoma Res* 2015-04-20 [PMID: 25895097] (WB, Human)

Romano S, Staibano S, Greco A et al. FK506 binding protein 51 positively regulates melanoma stemness and metastatic potential. *Cell Death Dis.* 2013-04-04 [PMID: 23559012] (WB, Human)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB100-68240

NBL1-10739	FKBP51/FKBP5 Overexpression Lysate
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-68240

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

