Product Datasheet

ILKAP/PP2C delta Antibody - BSA Free NB100-74606

Unit Size: 100 ul

Store at 4C. Do not freeze.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-74606

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB100-74606



NB100-74606


ILKAP/PP2C delta Antibody - BSA Free

| · · · · · · · · · · · · · · · · · · · | |
|---------------------------------------|---|
| Product Information | |
| Unit Size | 100 ul |
| Concentration | 1.0 mg/ml |
| Storage | Store at 4C. Do not freeze. |
| Clonality | Polyclonal |
| Preservative | 0.09% Sodium Azide |
| Isotype | IgG |
| Purity | Immunogen affinity purified |
| Buffer | Tris-Citrate/Phosphate (pH 7.0 - 8.0) |
| Product Description | |
| Host | Rabbit |
| Gene ID | 80895 |
| Gene Symbol | ILKAP |
| Species | Human |
| Immunogen | The immunogen recognized by this antibody maps to a region between residue 50 and 100 of human integrin-linked kinase-associated serine/threonine phosphatase 2C using the numbering given in entry NP_110395.1 (GeneID 80895). |
| Draduat Application Dataila | |

| Product Application Details | |
|------------------------------|---|
| Applications | Immunoprecipitation, Western Blot (Negative) |
| Recommended Dilutions | Immunoprecipitation 1:10-1:500, Western Blot (Negative) |
| Application Notes | This antibody is not recommended for Western Blot. |

Images

Immunoprecipitation: ILKAP/PP2C delta Antibody [NB100-74606] -ILKAP Antibody [NB100-74606] - Detection of Human ILKAP by Western Blot of Immunoprecipitates. Samples: Whole cell lysate (1 mg for IP, 20% of IP loaded) from HeLa cells. Antibodies: Affinity purified rabbit anti-ILKAP antibody NB100-74606 used for IP at 3 mcg/mg lysate. ILKAP was also immunoprecipitated by rabbit anti- ILKAP antibody NB100-74607, which recognizes a downstream epitope. Detection: Chemiluminescence with an exposure time of 30 seconds.



www.novusbio.com





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NB100-74606

| NBL1-11976 | ILKAP/PP2C delta Overexpression Lysate |
|------------|---|
| HAF008 | Goat anti-Rabbit IgG Secondary Antibody [HRP] |
| NB7160 | Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP] |
| NBP2-24891 | Rabbit IgG Isotype Control |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-74606

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

