Product Datasheet

HGK/MAP4K4 Antibody - BSA Free NB100-74630

Unit Size: 0.1 mg

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-74630

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB100-74630



NB100-74630


HGK/MAP4K4 Antibody - BSA Free

HOWMAF 4K4 Allibody - BOAT Tee	
Product Information	
0.1 mg	
1.0 mg/ml	
Store at 4C. Do not freeze.	
Polyclonal	
0.09% Sodium Azide	
IgG	
Immunogen affinity purified	
Tris-Citrate/Phosphate (pH 7.0 - 8.0)	
Product Description	
Rabbit	
9448	
MAP4K4	
Human	
The immunogen recognized by this antibody maps to a region between residue 850 and 900 of human MAPK/ERK kinase kinase kinase 4 (hepatocyte progenitor kinase-like/germinal center kinase-like kinase) using the numbering given in entry AAO32626.1 (GeneID 94	
Product Application Details	
Western Blot, Immunoprecipitation	
Western Blot 1:2000-1:10000, Immunoprecipitation 2-10 ug/mg lysate	




Images

Western Blot: HGK/MAP4K4 Antibody [NB100-74630] - Whole cell lysate (50 ug) from HeLa and 293T cells prepared using NETN lysis buffer. Antibody: Affinity purified rabbit anti-MAP4K4/HGK antibody used for WB at 0.1 ug/ml. Detection: Chemiluminescence with an exposure time of 3 minutes.



Immunoprecipitation: HGK/MAP4K4 Antibody [NB100-74630] - Detection of human MAP4K4/HGK by western blot of immunoprecipitates. Samples: Whole cell lysate (0.5 or 1.0 mg per IP reaction; 20% of IP loaded) from HeLa cells prepared using NETN lysis buffer. Antibodies: Affinity purified rabbit anti-MAP4K4/HGK antibody NB100-74630 (lot 2) used for IP at 6 ug per reaction. MAP4K4/HGK was also immunoprecipitated by a previous lot of this antibody (lot 1) and rabbit anti-MAP4K4/HGK antibody NB100-74629. For blotting immunoprecipitated MAP4K4/HGK, NB100-74630 was used at 1 ug/ml. Detection: Chemiluminescence with an exposure time of 3 minutes.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB100-74630

NBL1-12861 HGK/MAP4K4 Overexpression Lysate

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-74630

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

