

Product Datasheet

CEACAM8/CD66b Antibody (G10F5) - BSA Free NB100-77808

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 2 Publications: 16

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-77808

Updated 2/21/2025 v.20.1

**Earn rewards for product
reviews and publications.**

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-77808



NB100-77808

CEACAM8/CD66b Antibody (G10F5) - BSA Free

Product Information

Unit Size	0.1 mg
Concentration	1.0 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	G10F5
Preservative	0.05% Sodium Azide
Isotype	IgM Kappa
Purity	IgM purified
Buffer	PBS

Product Description


Host	Mouse
Gene ID	1088
Gene Symbol	CEACAM8
Species	Human, Mouse
Reactivity Notes	Predicted to cross react with Chimpanzee. Use in Mouse reported in scientific literature (PMID:33122293).
Immunogen	Human peripheral blood cells.

Product Application Details


Applications	Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, CyTOF-ready, Immunocytochemistry
Recommended Dilutions	Flow Cytometry 1ug/million cells, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence reported in scientific literature (PMID 33122293), Immunohistochemistry-Paraffin 1:10-1:500, Immunohistochemistry-Frozen 1:10-1:500, Immunocytochemistry, CyTOF-ready
Application Notes	It is recommended that CD66b clone G10F5 be titrated for optimal performance for each application. This antibody is CyTOF ready.

Images


Immunohistochemistry-Paraffin: CEACAM8/CD66b Antibody (G10F5) [NB100-77808] - Human spleen tissue section. Granulocytes stained positive for CD66b. IHC-P was performed using a Leica bond autostainer. Standard IHC protocol, ER2 retrieval, primary antibody was used at 1:500 in BSA/TBS. IHC-P image submitted by a verified customer review.




Flow Cytometry: CEACAM8/CD66b Antibody (G10F5) [NB100-77808] - Human peripheral blood was stained with Mouse IgM isotype control (left panel), Mouse anti-Human CEACAM-8/CD66b clone G10F5 (right panel), followed by APC-conjugated Goat anti-Mouse IgM secondary antibody.




Immunohistochemistry: CEACAM8/CD66b Antibody (G10F5) [NB100-77808] - Staining of CD66b on FFPE section of human liver. Secondary Antibody is A488 goat anti-mouse IgM. CD66b is shown in green and DAPI in blue. Cells exhibit a morphology that correspond to neutrophils with segmented nuclei. The CD66b Ab is highly specific with virtually no background signal. IHC image submitted by a verified customer review.




Flow Cytometry: CEACAM8/CD66b Antibody (G10F5) [NB100-77808] - Human peripheral blood granulocytes stained with purified G10F5, followed by anti-mouse Igs FITC.




Flow Cytometry: CEACAM8/CD66b Antibody (G10F5) [NB100-77808] - Analysis using the Alexa Fluor (R) 647 conjugate of NB100-77808. Staining of CD66b in human whole blood using anti-CD66b antibody. The primary antibody was used at a dilution of 1:100 and incubated for 25 minutes at 4C. Flow cytometry image submitted by a verified customer review.




Flow Cytometry: CEACAM8/CD66b Antibody (G10F5) [NB100-77808] - Analysis using the Alexa Fluor(R) 700 conjugate of NB100-77808. Staining of CD66b in human whole blood using anti-CD66b antibody conjugated with Alexa Fluor 700. The primary antibody was used at a dilution of 1:100 and incubated for 25 minutes at 4C. Flow cytometry image submitted by a verified customer review.




Flow Cytometry: CEACAM8/CD66b Antibody (G10F5) [NB100-77808] - Analysis using the DyLight 405 conjugate of NB100-77808. Staining of CD66b in human PBMCs using anti-CD66b antibody. Flow cytometry image submitted by a verified customer review.



Flow Cytometry: CEACAM8/CD66b Antibody (G10F5) [NB100-77808] - Analysis using the PE conjugate of NB100-77808. Staining of CD66b in human whole blood using anti-CD66b antibody conjugated with PE. The primary antibody was used at a dilution of 1:100 and incubated for 25 minutes at 4C. Flow cytometry image submitted by a verified customer review.



Flow Cytometry: CEACAM8/CD66b Antibody (G10F5) [NB100-77808] - Analysis using the FITC conjugate of NB100-77808. Staining of Human peripheral whole blood granulocytes G10F5 FITC.



Publications

Kiviaho A, Eerola SK, Kallio HML et Al. Single cell and spatial transcriptomics highlight the interaction of club-like cells with immunosuppressive myeloid cells in prostate cancer Nat Commun 2024-11-16 [PMID: 39550375]

Minjung Seo, Yeji Kim, Byong Duk Ye, Sang Hyoung Park, Seog-Young Kim, Jin Hwa Jung, Sung Wook Hwang, Sun Young Chae, Dong Yun Lee, Sang Ju Lee, Seung Jun Oh, Jihun Kim, Ji Young Kim, Sae Jung Na, Misung Kim, Sang-Yeob Kim, Norman Koglin, Andrew W Stephens, Mi-Na Kweon, Dae Hyuk Moon PET Imaging of System x C - in Immune Cells for Assessment of Disease Activity in Mice and Patients with Inflammatory Bowel Disease. Journal of nuclear medicine : official publication, Society of Nuclear Medicine 2022-10-05 [PMID: 35086893]

Rodriguez-Lorenzo S, Konings J, van der Pol S et al. Inflammation of the choroid plexus in progressive multiple sclerosis: accumulation of granulocytes and T cells Acta Neuropathol Commun 2020-02-03 [PMID: 32014066]

Ye J, Guo W, Wang C et al. Peritumoral Immune-suppressive Mechanisms Impede Intratumoral Lymphocyte Infiltration into Colorectal Cancer Liver versus Lung Metastases Cancer research communications 2023-10-12 [PMID: 37768208] (Immunohistochemistry-Paraffin, Human)

Ren X, Manzanares LD, Piccolo EB et al. Macrophage-endothelial cell crosstalk orchestrates neutrophil recruitment in inflamed mucosa The Journal of clinical investigation 2023-06-01 [PMID: 37261911] (ICC/IF, FLOW, Mouse)

Rossi R, Douglas A, Gil SM et al. S100b in acute ischemic stroke clots is a biomarker for post-thrombectomy intracranial hemorrhages Frontiers in neurology 2023-01-23 [PMID: 36756347] (ICC/IF, Human)

Li J, Han Z, Zhu Z et al. LncRNA H19 aggravates primary graft dysfunction after lung transplantation via KLF5-mediated activation of CCL28 American journal of transplantation : official journal of the American Society of Transplantation and the American Society of Transplant Surgeons 2023-06-30 [PMID: 37394140]

Wood C, Pennel K, Leslie H et al. Spatially Resolved Transcriptomics Deconvolutes Histological Prognostic Subgroups in Patients with Colorectal Cancer and Synchronous Liver Metastases bioRxiv 2022-09-23 [PMID: 37057593] (IHC, Human)

Chen R, Cai Q, Lin P et al. Role of immune-inflamed phenotype in the prognosis of hypopharyngeal carcinoma following primary surgery Head & neck 2022-10-12 [PMID: 36222335]

Abdelnabi MN, Molina MF, Soucy G et al. Sex-Dependent Hepatoprotective Role of IL-22 Receptor Signaling in Non-Alcoholic Fatty Liver Disease-Related Fibrosis Cellular and molecular gastroenterology and hepatology 2022-08-13 [PMID: 35970323] (IHC-P, Human)

Details:

Human liver Tissue, dilution used 1:100

Adachi A, Honda T, Egawa G et al. Estradiol suppresses psoriatic inflammation in mice by regulating neutrophil and macrophage functions The Journal of allergy and clinical immunology 2022-05-04 [PMID: 35589416] (IF/IHC, Human)

Pinzaru AM, Kareh M, Lamm N et al. Met Mutation is a Potential Therapeutic Target for Advanced Endometrial Cancer Genes Dev 2020-09-28 [PMID: 33122293] (IF/IHC, ICC, Mouse)

More publications at <http://www.novusbio.com/NB100-77808>





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB100-77808

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-96975-0.5mg	Mouse IgM Kappa Light Chain Isotype Control (MMK)
DC140	CD14 [HRP]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-77808

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

