

# Product Datasheet

## ZCCHC11/TUT4 Antibody

**NB100-783**

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

**Publications: 17**

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NB100-783](http://www.novusbio.com/NB100-783)

Updated 10/23/2024 v.20.1

**Earn rewards for product reviews and publications.**

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NB100-783](http://www.novusbio.com/reviews/destination/NB100-783)



**NB100-783**

ZCCHC11/TUT4 Antibody

**Product Information**

<b>Unit Size</b>	0.1 mg
<b>Concentration</b>	0.5 mg/ml
<b>Storage</b>	Store at -20C. Avoid freeze-thaw cycles.
<b>Clonality</b>	Polyclonal
<b>Preservative</b>	0.02% Sodium Azide
<b>Isotype</b>	IgG
<b>Purity</b>	Immunogen affinity purified
<b>Buffer</b>	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA

**Product Description**


<b>Host</b>	Goat
<b>Gene ID</b>	23318
<b>Gene Symbol</b>	TUT4
<b>Species</b>	Human
<b>Specificity/Sensitivity</b>	This antibody is expected to recognize all 3 reported isoforms (as represented by NP_001009881.1; NP_056084.1; NP_001009882.1)
<b>Immunogen</b>	Peptide with sequence RERCPHPPRGNVSE corresponding to C-Terminus according to NP_001009881.1, NP_056084.1, NP_001009882.1.

**Product Application Details**


<b>Applications</b>	Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Peptide ELISA
<b>Recommended Dilutions</b>	Immunohistochemistry 2 - 6 ug/mL, Immunocytochemistry/ Immunofluorescence 10 ug/ml, Immunohistochemistry-Paraffin 2 - 6 ug/mL, Peptide ELISA Detection limit 1:16000
<b>Application Notes</b>	IHC-P: Human Lymph Node shows nuclear staining of select lymphocytes and staining of macrophages.

## Images

Immunocytochemistry/Immunofluorescence: ZCCHC11/TUT4 Antibody [NB100-783] - Analysis of paraformaldehyde fixed A431 cells, permeabilized with 0.15% Triton. Primary incubation 1hr (10ug/ml) followed by Alexa Fluor 488 secondary antibody (2ug/ml), showing cytoplasmic staining. The nuclear stain is DAPI (blue). Negative control: Unimmunized goat IgG (10ug/ml) followed by Alexa Fluor 488 secondary antibody (2ug/ml)



Immunohistochemistry-Paraffin: ZCCHC11/TUT4 Antibody [NB100-783] - Staining of paraffin embedded Human Lymph Node. Antibody at 4 ug/mL. Steamed antigen retrieval with citrate buffer pH 6, HRP-staining.



## Publications

Sergeeva VA, Ershova ES, Veiko NN et al. Low-Dose Ionizing Radiation Affects Mesenchymal Stem Cells via Extracellular Oxidized Cell-Free DNA: A Possible Mediator of Bystander Effect and Adaptive Response *Oxid Med Cell Longev* 2017-09-14 [PMID: 28904740]

Zastko L, Ra?kov? A, Petrovi?ov? P et al. Evaluation of Calyculin A Effect on ?H2AX/53BP1 Focus Formation and Apoptosis in Human Umbilical Cord Blood Lymphocytes *International Journal of Molecular Sciences* 2021-05-22 [PMID: 34067339]

Konkova M, Abramova M, Kalianov A et al. Mesenchymal Stem Cells Early Response to Low-Dose Ionizing Radiation *Frontiers in Cell and Developmental Biology* 2020-12-14 [PMID: 33381502]

Tran TQ, Ishak Gabra MB, Lowman XH et al. Glutamine deficiency induces DNA alkylation damage and sensitizes cancer cells to alkylating agents through inhibition of ALKBH enzymes *PLoS Biol.* 2017-11-01 [PMID: 29107960]

Lagundin D, Hu W, Law H et al. Delineating the role of FANCA in glucose-stimulated insulin secretion in beta cells through its protein interactome *PLoS ONE* 2019-08-28 [PMID: 31461451]

Jakl L, Markova E et al. Biodosimetry of Low Dose Ionizing Radiation Using DNA Repair Foci in Human Lymphocytes. *Genes (Basel)* 2020-04-01 [PMID: 31947954]

E Goy, M Tomezak, C Facchin, N Martin, E Bouchaert, J Benoit, C de Schutte, J Nassour, L Saas, C Drullion, PM Brodin, A Vandeputte, O Molendi-Co, L Pineau, G Goormachtig, O Pluquet, A Pourtier, F Cleri, E Lartigau, N Penel, C Abbadie The out-of-field dose in radiation therapy induces delayed tumorigenesis by senescence evasion *Elife*, 2022-03-18;11(0):. 2022-03-18 [PMID: 35302491]

Parijat Senapati, Hiroyuki Kato, Michael Lee, Amy Leung, Christine Thai, Angelica Sanchez, Emily J. Gallagher, Derek LeRoith, Victoria L. Seewaldt, David K. Ann, Dustin E. Schones Hyperinsulinemia promotes aberrant histone acetylation in triple-negative breast cancer *Epigenetics & Chromatin* 2019-07-17 [PMID: 31315653]

Giusti L, Gabriele M, Penno G et al. A fermented whole grain prevents lipopolysaccharides-induced dysfunction in Human Endothelial Progenitor Cells. *downloads.hindawi.com*. 2017-02-20 [PMID: 28386305]

Huang Y, Chuang AY, Romano RA et al. Phospho-DeltaNp63alpha/NF-Y protein complex transcriptionally regulates DDIT3 expression in squamous cell carcinoma cells upon cisplatin exposure. *Cell Cycle* 2010-01-15 [PMID: 20023394]

Lee SB, Frattini V, Bansal M et al. An ID2-dependent mechanism for VHL inactivation in cancer. *Nature*. 2016-01-14 [PMID: 26735018]

Singh R, Braga M, Reddy ST et al. Follistatin Targets Distinct Pathways To Promote Brown Adipocyte Characteristics in Brown and White Adipose Tissues. *Endocrinology* 2017-05-01 [PMID: 28324027]

More publications at <http://www.novusbio.com/NB100-783>



## Novus Biologicals USA

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

## Bio-Techne Canada

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

## Bio-Techne Ltd

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

## General Contact Information

[www.novusbio.com](http://www.novusbio.com)  
Technical Support: [nb-technical@bio-techne.com](mailto:nb-technical@bio-techne.com)  
Orders: [nb-customerservice@bio-techne.com](mailto:nb-customerservice@bio-techne.com)  
General: [novus@novusbio.com](mailto:novus@novusbio.com)

## Products Related to NB100-783

NB820-59466	Raji Whole Cell Lysate
HAF017	Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
HAF109	Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
NB410-28088-1mg	Goat IgG Isotype Control

## Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NB100-783](http://www.novusbio.com/reviews/submit/NB100-783)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)