

Product Datasheet

NEK9 [p Thr210] Antibody NB100-78432

Unit Size: 0.2 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-78432

Updated 10/3/2017 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-78432



NB100-78432


NEK9 [p Thr210] Antibody

Product Information	
Unit Size	0.2 ml
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 50% Glycerol
Target Molecular Weight	107 kDa
Product Description	
Host	Rabbit
Gene ID	91754
Gene Symbol	NEK9
Species	Human
Reactivity Notes	Human.
Specificity/Sensitivity	NEK9 [Thr210]
Immunogen	Partial recombinant protein, responding to the middle region of NEK-9
Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:500, Immunohistochemistry 1:50, Immunohistochemistry-Paraffin 1:50
Application Notes	IHC & IP reported in the literature. Antigen retrieval for IHC of formalin-fixed paraffin-embedded tissue using 0.01 M sodium citrate buffer is recommended. It is recommended that the reagent be titrated for optimal performance for each application.




Images

Western Blot: NEK9 [p Thr210] Antibody [NB100-78432] - la cell extract was resolved by electrophoresis, transferred to nitrocellulose and probed with rabbit anti-NEK9 polyclonal antibody. Proteins were visualized using a donkey anti-rabbit secondary conjugated to HRP and a chemiluminescence detection system.



Immunohistochemistry-Paraffin: NEK9 [p Thr210] Antibody [NB100-78432] - Formalin-fixed paraffin-embedded human brain cortex tissue was stained with Poly6241 and developed with an alkaline phosphatase chromogen substrate (red color). Tissue was counterstained with H&E (blue/pink). Magnification, 40X.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA

Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
novus@novusbio.com

Novus Biologicals Canada

461 North Service Road West, Unit B37
Oakville, ON L6M 2V5
Canada

Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada@novusbio.com

Novus Biologicals Europe

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: technical@novusbio.com
Orders: orders@novusbio.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-78432

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

