Product Datasheet

TLR10 Antibody NB100-80840

Unit Size: 0.05 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.



Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-80840

Updated 2/1/2019 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB100-80840



NB100-80840

TLR10 Antibody

Product InformationUnit Size0.05 mgConcentration1 mg/mlStorageStore at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.ClonalityPolyclonalPreservative0.02% Sodium AzideIsotypeIgGPurityIon exchange chromatographyBufferPBSProduct DescriptionHostRabbitGene ID81793Gene SymbolTLR10SpeciesHumanSpeciesSynthetic peptide corresponding to 14 amino acids near the middle of human TLR10ImmunogenSynthetic peptide from human TLR10.Product Application DetailsWestern Blot, Chromatin Immunoprecipitation, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, Chromatin Immunoprecipitation, Immunohistochemistry-Paraffin S ug/ml		
Concentration1 mg/mlStorageStore at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.ClonalityPolyclonalPreservative0.02% Sodium AzideIsotypeIgGPurityIon exchange chromatographyBufferPBSProduct DescriptionKabbitHostRabbitGene ID81793Gene SymbolTLR10SpeciesHumanSpeciesHumanSpeciesKumanSpeciesKumanSpeciesKumanRebuit corresponding to 14 amino acids near the middle of human TLR10ImmunogenSynthetic peptide from human TLR10.Product Application DetailsWestern Blot, Chromatin Immunoprecipitation, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Suffin, Immunoprecipitation, Immunohistochemistry Suffin, Immunocytochemistry/Immunofluorescence 2	Product Information	
StorageStor at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.ClonalityPolyclonalPreservative0.02% Sodium AzideIsotypeIgGPurityIon exchange chromatographyBufferPBSProduct Description81793HostRabbitGene ID81793Gene SymbolTLR10SpeciesHumanSpecificity/Sensitivitypeptide corresponding to 14 amino acids near the middle of human TLR10ImmunogenSynthetic peptide from human TLR10.Product Application DetailsWestern Blot, Chromatin Immunoprecipitation, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.5-1 ug/ml, Immunocytochemistry/Immunofluorescence 2	Unit Size	0.05 mg
cycles.ClonalityPolyclonalPreservative0.02% Sodium AzideIsotypeIgGPurityIon exchange chromatographyBufferPBSProduct DescriptionHostRabbitGene ID81793Gene SymbolTLR10SpeciesHumanSpecificity/Sensitivitypeptide corresponding to 14 amino acids near the middle of human TLR10ImmunogenSynthetic peptide from human TLR10.Product Application DetailsWestern Blot, Chromatin Immunoprecipitation, Immunohistochemistry, Immunohistochemistry, ParaffinRecommended DilutionsWestern Blot 0.5-1 ug/ml, Chromatin Immunoprecipitation, Immunohistochemistry 5 ug/ml, Immunocytochemistry/Immunofluorescence 2	Concentration	1 mg/ml
Preservative0.02% Sodium AzideIsotypeIgGPurityIon exchange chromatographyBufferPBSProduct DescriptionRabbitHostRabbitGene ID81793Gene SymbolTLR10SpeciesHumanSpecificity/Sensitivitypeptide corresponding to 14 amino acids near the middle of human TLR10ImmunogenSynthetic peptide from human TLR10.Product Application DetailsWestern Blot, Chromatin Immunoprecipitation, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry 5 ug/ml, Immunocytochemistry/Immunofluorescence 2	Storage	
IsotypeIgGPurityIon exchange chromatographyBufferPBSProduct DescriptionHostRabbitGene ID81793Gene SymbolTLR10SpeciesHumanSpecificity/Sensitivitypeptide corresponding to 14 amino acids near the middle of human TLR10ImmunogenSynthetic peptide from human TLR10.Product Application DetailsWestern Blot, Chromatin Immunoprecipitation, Immunohistochemistry/ParaffinRecommended DilutionsWestern Blot 0.5-1 ug/ml, Inmunocytochemistry/Immunofluorescence 2	Clonality	Polyclonal
PurityIon exchange chromatographyBufferPBSProduct DescriptionRabbitHostRabbitGene ID81793Gene SymbolTLR10SpeciesHumanSpecificity/Sensitivitypeptide corresponding to 14 amino acids near the middle of human TLR10ImmunogenSynthetic peptide from human TLR10.Product Application DetailsWestern Blot, Chromatin Immunoprecipitation, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.5-1 ug/ml, Chromatin Immunoprecipitation, Immunohistochemistry 5 ug/ml, Immunocytochemistry/Immunofluorescence 2	Preservative	0.02% Sodium Azide
Buffer PBS Product Description Host Rabbit Gene ID 81793 Gene Symbol TLR10 Species Human Specificity/Sensitivity peptide corresponding to 14 amino acids near the middle of human TLR10 Immunogen Synthetic peptide from human TLR10. Product Application Details Western Blot, Chromatin Immunoprecipitation, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.5-1 ug/ml, Chromatin Immunocytochemistry/Immunofluorescence 2	Isotype	IgG
Product DescriptionHostRabbitGene ID81793Gene SymbolTLR10SpeciesHumanSpecificity/Sensitivitypeptide corresponding to 14 amino acids near the middle of human TLR10ImmunogenSynthetic peptide from human TLR10.Product Application DetailsWestern Blot, Chromatin Immunoprecipitation, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.5-1 ug/ml, Chromatin Immunoprecipitation, Immunohistochemistry 5 ug/ml, Immunocytochemistry/Immunofluorescence 2	Purity	Ion exchange chromatography
HostRabbitGene ID81793Gene SymbolTLR10SpeciesHumanSpecificity/Sensitivitypeptide corresponding to 14 amino acids near the middle of human TLR10ImmunogenSynthetic peptide from human TLR10.Product Application DetailsWestern Blot, Chromatin Immunoprecipitation, Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.5-1 ug/ml, Chromatin Immunoprecipitation, Immunohistochemistry 5 ug/ml, Immunocytochemistry/Immunofluorescence 2	Buffer	PBS
Gene ID81793Gene SymbolTLR10SpeciesHumanSpecificity/Sensitivitypeptide corresponding to 14 amino acids near the middle of human TLR10ImmunogenSynthetic peptide from human TLR10.Product Application DetailsWestern Blot, Chromatin Immunoprecipitation, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.5-1 ug/ml, Chromatin Immunocytochemistry/Immunofluorescence 2	Product Description	
Gene SymbolTLR10SpeciesHumanSpecificity/Sensitivitypeptide corresponding to 14 amino acids near the middle of human TLR10ImmunogenSynthetic peptide from human TLR10.Product Application DetailsWestern Blot, Chromatin Immunoprecipitation, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.5-1 ug/ml, Chromatin Immunoprecipitation, Immunohistochemistry 5 ug/ml, Immunofluorescence 2	Host	Rabbit
SpeciesHumanSpecificity/Sensitivitypeptide corresponding to 14 amino acids near the middle of human TLR10ImmunogenSynthetic peptide from human TLR10.Product Application DetailsWestern Blot, Chromatin Immunoprecipitation, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.5-1 ug/ml, Chromatin Immunoprecipitation, Immunohistochemistry 5 ug/ml, Immunofluorescence 2	Gene ID	81793
Specificity/Sensitivitypeptide corresponding to 14 amino acids near the middle of human TLR10ImmunogenSynthetic peptide from human TLR10.Product Application DetailsWestern Blot, Chromatin Immunoprecipitation, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.5-1 ug/ml, Chromatin Immunocytochemistry/Immunofluorescence 2	Gene Symbol	TLR10
ImmunogenSynthetic peptide from human TLR10.Product Application DetailsApplicationsWestern Blot, Chromatin Immunoprecipitation, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.5-1 ug/ml, Chromatin Immunoprecipitation, Immunohistochemistry 5 ug/ml, Immunocytochemistry/Immunofluorescence 2	Species	Human
Product Application Details Applications Western Blot, Chromatin Immunoprecipitation, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.5-1 ug/ml, Chromatin Immunoprecipitation, Immunohistochemistry 5 ug/ml, Immunocytochemistry/Immunofluorescence 2	Specificity/Sensitivity	peptide corresponding to 14 amino acids near the middle of human TLR10
ApplicationsWestern Blot, Chromatin Immunoprecipitation, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.5-1 ug/ml, Chromatin Immunoprecipitation, Immunohistochemistry 5 ug/ml, Immunocytochemistry/Immunofluorescence 2	Immunogen	Synthetic peptide from human TLR10.
Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.5-1 ug/ml, Chromatin Immunoprecipitation, Immunohistochemistry 5 ug/ml, Immunocytochemistry/Immunofluorescence 2	Product Application Details	
Immunohistochemistry 5 ug/ml, Immunocytochemistry/Immunofluorescence 2	Applications	Immunocytochemistry/Immunofluorescence, Immunohistochemistry,
	Recommended Dilutions	Immunohistochemistry 5 ug/ml, Immunocytochemistry/Immunofluorescence 2





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 novus@novusbio.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: technical@novusbio.com Orders: orders@novusbio.com General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-80840

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

