

Product Datasheet

p190RhoGAP Antibody NB100-88154

Unit Size: 0.1 ml

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-88154

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-88154



NB100-88154

p190RhoGAP Antibody

Product Information	
Unit Size	0.1 ml
Concentration	0.2 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	TBS and 0.1% BSA
Target Molecular Weight	172 kDa


Product Description	
Host	Rabbit
Gene ID	2909
Gene Symbol	ARHGAP35
Species	Human, Mouse
Immunogen	The immunogen recognized by this antibody maps to a region between residue 1200 and 1250 of human glucocorticoid receptor DNA binding factor 1 (p190RHOGAP) using the numbering given in entry EAW57452.1 (GeneID 2909).

Product Application Details	
Applications	Western Blot, Immunoprecipitation
Recommended Dilutions	Western Blot 1:2000-1:10000, Immunoprecipitation 2-5 mcg/mg lysate




Images


Western Blot: p190RhoGAP Antibody [NB100-88154] - FAK and p190RhoGAP are inactivated by GT. Western blot analysis of total extracts of BEAS-2B cells either non-treated (NT) or treated with 50 μ M of FAK14 (g) for 30 min to 4 h. The inhibitor caused FAK and p190RhoGAP dephosphorylation and MKK4, JNK and Bim phosphorylations. Tubulin was used as loading control. Image collected and cropped by CiteAb from the following publication (<https://www.nature.com/articles/s41467-018-05850-w>), licensed under a CC-BY license.



Western Blot: p190RhoGAP Antibody [NB100-88154] - Whole cell lysate (50 μ g) from CT26.WT, 4T1, and Renca cells. Antibodies: Affinity purified rabbit anti-GRLF1/p190RhoGAP antibody used for WB at 0.04 μ g/ml. Detection: Chemiluminescence with an exposure time of 30 seconds.



Western Blot: p190RhoGAP Antibody [NB100-88154] - Western Blot and Immunoprecipitation: p190RhoGAP Antibody NB100-88154-Detection of Human p190RhoGAP on HeLa whole cell lysate using NB100-88154. Gp190RhoGAP was also immunoprecipitated by another rabbit ap190RhoGAP antibody.



Publications

Haun F, Neumann S, Peintner L et al. Identification of a novel anoikis signalling pathway using the fungal virulence factor gliotoxin. Nat Commun 2018-08-30 [PMID: 30166526] (WB, Human)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB100-88154

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
H00002909-P01-10ug	Recombinant Human p190RhoGAP GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-88154

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

