

Product Datasheet

iASPP Antibody NB100-88155

Unit Size: 0.1 ml

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-88155

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-88155



NB100-88155

iASPP Antibody

Product Information

Unit Size	0.1 ml
Concentration	0.2 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	TBS and 0.1% BSA

Product Description


Host	Rabbit
Gene ID	10848
Gene Symbol	PPP1R13L
Species	Human, Mouse
Immunogen	The immunogen recognized by this antibody maps to a region between residue 75 and 125 of human inhibitor of apoptosis stimulating protein of p53 using the numbering given in entry NP_006654.2 (GeneID 10848).

Product Application Details


Applications	Western Blot, Immunoprecipitation
Recommended Dilutions	Western Blot 1:2000-1:10000, Immunoprecipitation 2-10 ug/mg lysate

Images

Western Blot: iASPP Antibody [NB100-88155] - Detection of Human and Mouse iASPP by Western Blot. Samples: Whole cell lysate from 293T (50, 15, 5 ug), HeLa (50, 15 ug), and mouse NIH3T3 (50 ug) cells prepared using NETN lysis buffer. Antibody: Affinity purified rabbit anti-iASPP antibody NB100-88155 used for WB at 0.1 ug/ml. Detection: Chemiluminescence with an exposure time of 30 seconds.



Immunoprecipitation: iASPP Antibody [NB100-88155] - Whole cell lysate (0.5 or 1.0 mg per IP reaction; 20% of IP loaded) from 293T cells prepared using NETN lysis buffer. Antibodies: Affinity purified rabbit anti-iASPP antibody used for IP at 6 ug per reaction. iASPP was also immunoprecipitated by a previous lot of this antibody. For blotting immunoprecipitated iASPP, was used at 0.4 ug/ml. Detection: Chemiluminescence with an exposure time of 3 minutes



Publications

Zhang H, Zhang G, Zhang J et al. Transcription factor SP1 and oncoprotein PPP1R13L regulate nicotine-induced epithelial-mesenchymal transition in lung adenocarcinoma via a feedback loop Biochemical pharmacology 2022-11-11 [PMID: 36372331] (WB, Human)

Details:

Dilution used in WB 1:5000

Zhang G, Yu T, Zhang Q Et al. Malignant transformation of human bronchial epithelial cells induced by benzo [a] pyrene suggests a negative feedback of TP53 to PPP1R13L via binding a possible enhancer element Chemico-biological interactions 2021-11-01 [PMID: 34610339] (WB, Human)





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB100-88155

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
NBP2-48732PEP	iASPP Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-88155

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

