

# Product Datasheet

## MCM5 Antibody NB100-91862

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NB100-91862](http://www.novusbio.com/NB100-91862)

Updated 6/27/2018 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NB100-91862](http://www.novusbio.com/reviews/destination/NB100-91862)




**NB100-91862****MCM5 Antibody**


<b>Product Information</b>	
<b>Unit Size</b>	0.1 ml
<b>Concentration</b>	1.0 mg/ml
<b>Storage</b>	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
<b>Clonality</b>	Polyclonal
<b>Preservative</b>	0.05% Sodium Azide
<b>Purity</b>	Immunogen affinity purified
<b>Buffer</b>	PBS (pH 7.2)
<b>Target Molecular Weight</b>	82 kDa
<b>Product Description</b>	
<b>Host</b>	Rabbit
<b>Gene ID</b>	4174
<b>Gene Symbol</b>	MCM5
<b>Species</b>	Human, Mouse
<b>Reactivity Notes</b>	This antibody is reactive against Human, Mouse.
<b>Immunogen</b>	Synthetic peptide, corresponding to amino acids 30-80 of Human MCM5.
<b>Product Application Details</b>	
<b>Applications</b>	Western Blot, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
<b>Recommended Dilutions</b>	Western Blot 1:500-1:1000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/Immunofluorescence 1:50-1:200, Immunohistochemistry-Paraffin 1:50-1:200
<b>Application Notes</b>	Western blot (WB) analysis of MCM5 (F51) pAb in extracts from HepG2 cells Immunohistochemistry (IHC) analyzes of MCM5 (F51) pAb in paraffin-embedded human tonsil tissue.

**Images**

Western Blot: MCM5 Antibody [NB100-91862] - Western blot (WB) analysis of MCM5 (F51) antibody in extracts from HepG2 cells



Immunohistochemistry: MCM5 Antibody [NB100-91862] - Immunohistochemistry (IHC) analyzes of MCM5 (F51) antibody in paraffin-embedded human tonsil tissue





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
novus@novusbio.com

### **Novus Biologicals Canada**

461 North Service Road West, Unit B37  
Oakville, ON L6M 2V5  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada@novusbio.com

### **Novus Biologicals Europe**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: technical@novusbio.com  
Orders: orders@novusbio.com  
General: novus@novusbio.com

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NB100-91862](http://www.novusbio.com/reviews/submit/NB100-91862)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

